



Editor : Ns. Mutia Farlina, M.Kep. Sp.Kep. An

CONQUERING LOW BIRTH WEIGHT EFFECTIVE STRATEGIES

Ns. Arif Rohman Mansur, S.Kep., M.Kep
Ns. Ira Mulya Sari, M.Kep. Sp. Kep. An

CONQUERING LOW BIRTH WEIGHT EFFECTIVE STRATEGIES



"Conquering Low Birth Weight Effective Strategies" authored by Ns. Arif Rohman Mansur and Ns. Ira Mulya Sari, offers an exhaustive investigation into low birth weight (LBW), a pressing public health challenge. This book methodically unpacks the complex web of causes leading to LBW, ranging from maternal health and nutrition to broader socioeconomic and environmental influences. It emphasizes not only the immediate health concerns that LBW poses for newborns but also explores the profound long-term developmental impacts and the extensive socioeconomic repercussions on families and healthcare systems. By providing a comprehensive review of evidence-based prevention and management strategies—including preconception care, nutritional support during pregnancy, and the management of high-risk pregnancies—the authors lay down a strategic blueprint. This guide is designed to address and ameliorate the factors contributing to LBW while simultaneously improving the health and well-being of mothers and their children. Central to the discourse, the book acts as a clarion call, urging healthcare professionals, policymakers, and the community at large to come together in tackling LBW, a crucial determinant of neonatal and maternal health. By presenting a thorough analysis coupled with actionable recommendations, it aims to inspire a unified, global response to combat the challenges posed by LBW. "Low Birth Weight: Challenges, Implications, and Strategies" is more than an academic treatise; it is an essential resource for all stakeholders committed to improving public health outcomes. It seeks to pave the way towards a future where LBW does not hinder the optimal health and development of any child, thereby making it an indispensable tool for enhancing public health and achieving better neonatal and maternal health outcomes globally.



eureka
media akara
Anggota IKAPI
No. 225/JTE/2021

0858 5343 1992

eurekamediaaksara@gmail.com
Jl. Banjaran RT.20 RW.10
Bojongsari - Purbalingga 53362

ISBN 978-623-120-545-2



9 78623 1205452

CONQUERING LOW BIRTH WEIGHT: EFFECTIVE STRATEGIES

Ns. Arif Rohman Mansur, S.Kep., M.Kep

Ns. Ira Mulya Sari, M.Kep. Sp. Kep. An



PENERBIT CV.EUREKA MEDIA AKSARA

CONQUERING LOW BIRTH WEIGHT: EFFECTIVE STRATEGIES

Penulis : Ns. Arif Rohman Mansur, S.Kep., M.Kep
Ns. Ira Mulya Sari, M.Kep. Sp. Kep. An

Editor : Ns. Mutia Farlina, M.Kep. Sp.Kep. An

Desain Sampul : Ardyan Arya Hayuwaskita

Tata Letak : Meuthia Rahmi Ramadani

ISBN : 978-623-120-545-2

Diterbitkan oleh : **EUREKA MEDIA AKSARA, APRIL 2024**
ANGGOTA IKAPI JAWA TENGAH
NO. 225/JTE/2021

Redaksi:

Jalan Banjaran, Desa Banjaran RT 20 RW 10 Kecamatan Bojongsari
Kabupaten Purbalingga Telp. 0858-5343-1992

Surel : eurekamediaaksara@gmail.com

Cetakan Pertama : 2024

All right reserved

Hak Cipta dilindungi undang-undang
Dilarang memperbanyak atau memindahkan sebagian atau seluruh
isi buku ini dalam bentuk apapun dan dengan cara apapun,
termasuk memfotokopi, merekam, atau dengan teknik perekaman
lainnya tanpa seizin tertulis dari penerbit.

PREFACE

In a world where the health of the youngest members of society is a mirror reflecting the broader health of the community, the issue of low birth weight (LBW) stands as a critical concern demanding our collective attention and action. This book, dedicated to unraveling the complexities of LBW, is borne out of a commitment to improve neonatal outcomes and maternal health across diverse landscapes.

Our journey through the pages of this book takes us deep into the exploration of LBW, starting with its definition, significance, and the urgent need for a concerted effort to address its root causes and effects. We delve into the factors contributing to LBW, from maternal health and nutrition to environmental influences and healthcare accessibility, revealing a multifaceted challenge that intersects with social, economic, and medical dimensions of society.

Our exploration does not stop at identifying the problem; it extends to presenting a comprehensive overview of the impact of LBW on immediate health concerns, long-term physical and cognitive development, and the overarching financial burden it places on families and healthcare systems. Through rigorous research and insightful analysis, this book aims to shed light on the immediate and far-reaching consequences of LBW, challenging us to see beyond the numbers to the real-life implications for children, families, and communities.

The heart of our discussion lies in the interventions and prevention strategies outlined in the latter part of the book. From preconception care and nutritional support to the management of pregnancy complications and specialized care for high-risk pregnancies, we offer a blueprint for action that healthcare providers, policymakers, and individuals can use as a guide to mitigate the incidence of LBW. These strategies, grounded in the latest research and best practices, underscore the importance of a proactive and comprehensive approach to maternal and neonatal health.

As we conclude our exploration, it becomes clear that addressing LBW is not merely a medical challenge; it is a moral imperative that calls for a global response. By understanding the causes, effects, and interventions related to LBW, we take a crucial step toward ensuring a healthier future for the next generation.

This book is a call to action—an invitation to join the collective effort to combat LBW and improve the quality of life for countless individuals worldwide. It is a resource for healthcare professionals, researchers, policymakers, and anyone committed to making a difference in the lives of mothers and their children. Together, we can turn the tide on low birth weight and pave the way for a brighter, healthier future.

Padang, March 21, 2024

Arif Rohman Mansur

TABLE OF CONTENT

PREFACE.....	iii
TABLE OF CONTENT	v
TABLE OF PICTURE.....	vi
UNIT 1 INTRODUCTION	1
A. Definition of Low Birth Weight	1
B. Importance of Addressing Low Birth Weight	3
C. Understanding Low Birth Weight in Newborns	4
UNIT 2 FACTORS CONTRIBUTING TO LOW BIRTH WEIGHT	7
A. Maternal Health and Nutrition	7
B. Lifestyle Factors.....	13
C. Obstetric Factors.....	20
D. Socioeconomic Factors	27
E. Environmental Factors.....	32
UNIT 3 IMPACT OF LOW BIRTH WEIGHT	36
A. Immediate Health Concerns.....	36
B. Long-Term Effects On Physical And Cognitive Development	43
C. Financial Burden On Families And Healthcare System	45
UNIT 4 INTERVENTIONS AND PREVENTION STRATEGIES.....	47
A. Before Pregnancy.....	47
B. During Pregnancy	51
C. For High-Risk Pregnancies.....	58
BIBLIOGRAPHY.....	62
BIOGRAPHY	110

TABLE OF PICTURE

Figure 1 Low Birth Weight	1
Figure 2 Addressing Low Birth Weight.....	3
Figure 3 Maternal Nutrition	7
Figure 4 Pre Existing Health Condition.....	9
Figure 5 Smoking During Pregnancy	14
Figure 6 Alcohol and Drug Use.....	16
Figure 7 Maternal Stress.....	18
Figure 8 Teenager Pregnancy	20
Figure 9 Multiple Pregnancy	22
Figure 10 Short Interval Between Pregnancy	24
Figure 11 Low Socioeconomic Status.....	27
Figure 12 Inadequate prenatal care.....	30
Figure 13 Rural Residence	31
Figure 14 Exposure to Pollutant.....	33
Figure 15 Cognitif and Physical Development	44
Figure 16 Folic Acid.....	50

UNIT 1 | INTRODUCTION

A. Definition of Low Birth Weight




Figure 1 Low Birth Weight

Low birth weight (LBW), defined as newborns weighing less than 2500 grams or approximately 5.5 pounds, stands as a pivotal health indicator, marking a child's initial vulnerability and potential future health challenges. This condition is intricately linked with increased neonatal mortality, childhood morbidity, and an elevated risk of chronic conditions such as

UNIT 2 | FACTORS CONTRIBUTING TO LOW BIRTH WEIGHT

Low birth weight (LBW) is a condition where a newborn weighs less than 2,500 grams (5 pounds, 8 ounces) at birth. This issue is significant because LBW babies are at a higher risk of early health problems and long-term disabilities. Understanding the factors contributing to LBW is crucial for developing strategies to reduce its incidence and improve neonatal health outcomes. Here are the primary factors contributing to low birth weight:

A. Maternal Health and Nutrition



Figure 3 Maternal Nutrition

UNIT 3 | IMPACT OF LOW BIRTH WEIGHT

A. Immediate Health Concerns

1. Increased Vulnerability to Infections

Newborns with low birth weight have a weaker immune system, making them more susceptible to infections. Newborns with low birth weight (LBW), defined as weighing ≤ 5.5 lb, are at an increased risk of facing significant health challenges due to compromised immune system functionality. This susceptibility to infections is a critical concern, as it is linked to higher morbidity and mortality rates compared to newborns with normal birth weights. The developmental origins of health and disease hypothesis provide a foundational understanding of how LBW can lead to chronic diseases by affecting the immune system's development, thereby increasing the risk of infections (Alexander, Dasinger, & Intapad, 2014).

A systematic review of the literature underscores the multifaceted impact of LBW on newborn health, especially in terms of infection susceptibility. For instance, LBW is recognized as a key determinant of infectious disease mortality during infancy, highlighting the urgent need for robust evidence to confirm this relationship and the development of targeted interventions to mitigate the risk (Read & Clemens, 1995). In addition to the direct impact on immune system functionality, LBW is associated with structural abnormalities and cognitive function impairments,

UNIT

4

INTERVENTIONS AND PREVENTION STRATEGIES

A. Before Pregnancy

1. Preconception Care

Improve women's health and address any risk factors before becoming pregnant. This includes managing chronic conditions (like diabetes and hypertension), ensuring adequate nutrition, and avoiding harmful substances (smoking, alcohol, and illicit drugs).

Preventing low birth weight involves managing chronic conditions like diabetes and hypertension, ensuring adequate nutrition, and avoiding harmful substances such as smoking, alcohol, and illicit drugs. Chronic conditions like type 2 diabetes and hypertension are associated with poor cognitive development and chronic diseases in adulthood (Hailu & Kebede, 2018). Strategies to prevent low birth weight include strengthening antenatal follow-up, controlling body mass index, and improving the socioeconomic status of mothers (Mengesha et al., 2017). Adequate management of low birth weight babies and prevention of associated factors are crucial in averting infant deaths (Sharma et al., 2015).

Nutritional counseling, health education to improve lifestyle, and early recognition and treatment of complications are recommended interventions to prevent low birth weight (Mulatu et al., 2019). Maternal health care interventions like women empowerment, education,

BIBLIOGRAPHY

- Abbas, F., Kumar, R., Mahmood, T., & Somrngthong, R. (2021). Impact of children born with low birth weight on stunting and wasting in sindh province of pakistan: a propensity score matching approach. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-98924-7>
- Abubakari, A. and Jahn, A. (2016). Maternal dietary patterns and practices and birth weight in northern ghana. *Plos One*, 11(9), e0162285. <https://doi.org/10.1371/journal.pone.0162285>
- Abu-Ghanem, S., Sheiner, E., Sherf, M., Wiznitzer, A., Sergienko, R., & Shoham-Vardi, I. (2011). Lack of prenatal care in a traditional community: trends and perinatal outcomes. *Archives of Gynecology and Obstetrics*, 285(5), 1237-1242. <https://doi.org/10.1007/s00404-011-2153-x>
- Abu-Ouf, N. and Jan, M. (2015). The impact of maternal iron deficiency and iron deficiency anemia on child's health. *Saudi Medical Journal*, 36(2), 146-149. <https://doi.org/10.15537/smj.2015.2.10289>
- Achebe, C., Ugochukwu, E., Pou, A., & Ubajaka, C. (2013). Prediction of low birth weight from other anthropometric parameters in nnewi, south eastern nigeria. *Nigerian Journal of Paediatrics*, 41(1), 59. <https://doi.org/10.4314/njp.v41i1.11>
- Adane, T. and Dachew, B. (2018). Low birth weight and associated factors among singleton neonates born at felege hiwot referral hospital, north west ethiopia. *African Health Sciences*, 18(4), 1204. <https://doi.org/10.4314/ahs.v18i4.42>
- Addila, A., Azale, T., Gete, Y., & Yitayal, M. (2021). The effects of maternal alcohol consumption during pregnancy on adverse fetal outcomes among pregnant women attending antenatal care at public health facilities in gondar town, northwest ethiopia: a prospective cohort study. *Substance Abuse*

Treatment Prevention and Policy, 16(1).
<https://doi.org/10.1186/s13011-021-00401-x>

Adhikari, J., Kc, R., & Kharel, S. (2020). Risk factors and outcomes of low birth weight neonates admitted in a tertiary care center. Journal of Nepalganj Medical College, 18(1), 70-73.
<https://doi.org/10.3126/jngmc.v18i1.35202>

Adjerid, K., Mayerl, C., Gould, F., Edmonds, C., Stricklen, B., Bond, L., ... & German, R. (2021). Does birth weight affect neonatal body weight, growth, and physiology in an animal model?. Plos One, 16(2), e0246954.
<https://doi.org/10.1371/journal.pone.0246954>

Agarwal, K., Agarwal, A., Agrawal, V., Agrawal, P., & Chaudhary, V. (2011). Prevalence and determinants of "low birth weight" among institutional deliveries. Annals of Nigerian Medicine, 5(2), 48. <https://doi.org/10.4103/0331-3131.92950>

Aggarwal, A. and Pradhan, A. (2021). A clinical study of obstetrical and perinatal outcome in teenage pregnancies in central referral hospital (crh), gangtok. Asian Journal of Medical Sciences, 12(6), 56-63.
<https://doi.org/10.3126/ajms.v12i6.35071>

Aghaie, Z., Hajian, S., & Abdi, F. (2018). The relationship between lipid profiles in pregnancy and preterm delivery: a systematic review. Biomedical Research and Therapy, 5(8), 2590-2609.
<https://doi.org/10.15419/bmrat.v5i8.468>

Ajong, A., Ali, I., Yakum, M., Ukaogo, P., Mangala, F., Aljerf, L., ... & Telefo, P. (2022). Adverse maternofoetal outcomes associated with ionised calcaemia, total calcaemia, albuminaemia, and calcium supplementation in pregnancy: analysis from a resource-limited setting. Plos One, 17(8), e0271525. <https://doi.org/10.1371/journal.pone.0271525>

Akhtar, N. and Satapathy, S. (2021). Impact of maternal nutrition on child health. Journal of Biomedical and Pharmaceutical

Research, 10(2), 15-19.
<https://doi.org/10.32553/jbpr.v10i2.854>

Alam, M., Islam, M., Maniruzzaman, M., Ahmed, N., Tawabunnahar, M., Rahman, M., ... & Mydam, J. (2022). Socioeconomic inequality in the prevalence of low birth weight and its associated determinants in bangladesh. Plos One, 17(10), e0276718.
<https://doi.org/10.1371/journal.pone.0276718>

Alemu, A., Abageda, M., Assefa, B., & Melaku, G. (2019). Low birth weight: prevalence and associated factors among newborns at hospitals in kambata-tembaro zone, southern ethiopia 2018. Pan African Medical Journal, 34.
<https://doi.org/10.11604/pamj.2019.34.68.18234>

Alexander, B., Dasinger, J. H., & Intapad, S. (2014). Effect of low birth weight on women's health. Clinical therapeutics, 36(12), 1913-1923. <https://doi.org/10.1016/j.clinthera.2014.06.026>

Alexander, B., Dasinger, J., & Intapad, S. (2015). Fetal programming and cardiovascular pathology., 997-1025.
<https://doi.org/10.1002/cphy.c140036>

Ali, A. (2015). Multiple corpora lutea in dromedary camels: are they associated with multiple pregnancies?. Anatomia Histologia Embryologia, 46(1), 3-8. <https://doi.org/10.1111/ahe.12223>

Ali, K., Quarashi, S., Sultana, S., & Rahman, Z. (2020). Observation of birth weight of babies in relation on maternal age, parity and gestational age in tertiary level hospital. Bangladesh Journal of Medical Science, 19(2), 291-295.
<https://doi.org/10.3329/bjms.v19i2.45010>

Alibekova, R., Huang, J., & Chen, Y. (2013). Adequate prenatal care reduces the risk of adverse pregnancy outcomes in women with history of infertility: a nationwide population-based study. Plos One, 8(12), e84237.
<https://doi.org/10.1371/journal.pone.0084237>

- Almeida, A., Silva, J., Costa, M., Viellas, E., Martinelli, K., & Leal, M. (2019). Economic and racial inequalities in the prenatal care of pregnant teenagers in Brazil, 2011-2012. *Revista Brasileira De Saúde Materno Infantil*, 19(1), 43-52. <https://doi.org/10.1590/1806-93042019000100003>
- An, L., Li, W., Xie, T., Peng, X., Li, B., Xie, S., ... & Guo, S. (2015). Calcium supplementation reducing the risk of hypertensive disorders of pregnancy and related problems: a meta-analysis of multicentre randomized controlled trials. *International Journal of Nursing Practice*, 21(S2), 19-31. <https://doi.org/10.1111/ijn.12171>
- Andersen, L., Ängquist, L., Gamborg, M., Byberg, L., Bengtsson, C., Canoy, D., ... & Baker, J. (2009). Birth weight in relation to leisure time physical activity in adolescence and adulthood: meta-analysis of results from 13 nordic cohorts. *Plos One*, 4(12), e8192. <https://doi.org/10.1371/journal.pone.0008192>
- Anggara, F. (2020). Meta-analysis: the effect of malaria infection on the incidence of low birth weight. *Journal of Maternal and Child Health*, 5(5), 549-562. <https://doi.org/10.26911/thejmch.2020.05.05.09>.
- Anggraini, N. (2023). Healthcare access and utilization in rural communities of Indonesia. *Journal of Community Health Provision*, 3(1), 14-19. <https://doi.org/10.55885/jchp.v3i1.214>
- Anifantaki, F., Pervanidou, P., Lambrinoudaki, I., Panoulis, K., Vlahos, N., & Eleftheriades, M. (2021). Maternal prenatal stress, thyroid function and neurodevelopment of the offspring: a mini review of the literature. *Frontiers in Neuroscience*, 15. <https://doi.org/10.3389/fnins.2021.692446>
- Ara, K., Bahrami, M., Bahrami, E., Bahrami, S., Bahrami, M., Moosazadeh, M., ... & Barati, O. (2016). Progesterone therapy for the prevention of preterm labor in women with single risk-factor: a systematic review and meta-analysis. *Bali*

Medical Journal, 5(1), 43.
<https://doi.org/10.15562/bmj.v5i1.193>

Ashorn, P., Vanhala, H., Pakarinen, O., Ashorn, U., & De Costa, A. (2015). Prevention of Intrauterine Growth Restriction and Preterm Birth with Presumptive Antibiotic Treatment of Pregnant Women: A Literature Review. Nestle Nutrition Institute workshop series, 81, 37-50. DOI: 10.1159/000365802

Asmah, R., Blankson, H., Seanefu, K., Obeng-Nkrumah, N., Awuah-Mensah, G., Cham, M., ... & Ayeh-Kumi, P. (2017). Trichomoniasis and associated co-infections of the genital tract among pregnant women presenting at two hospitals in ghana. BMC Women S Health, 17(1).
<https://doi.org/10.1186/s12905-017-0489-5>

Assari, S. (2020). Protective effects of maternal education against low birth weight deliveries: blacks' diminished returns. Research in Health Science, 5(4), p1.
<https://doi.org/10.22158/rhs.v5n4p1>

Assis, T., Martinelli, K., Silva, J., & Neto, E. (2022). Recurrence of teenage pregnancy: associated maternal and neonatal factor outcomes. Ciência & Saúde Coletiva, 27(8), 3261-3271.
<https://doi.org/10.1590/1413-81232022278.00292022en>

Ba, D., Ssentongo, P., Kjerulff, K., Na, M., Liu, G., Gao, X., ... & Du, P. (2019). Adherence to iron supplementation in 22 sub-saharan african countries and associated factors among pregnant women: a large population-based study. Current Developments in Nutrition, 3(12), nzz120.
<https://doi.org/10.1093/cdn/nzz120>

Bada, H., Das, A., Bauer, C., Shankaran, S., Lester, B., Gard, C., ... & Higgins, R. (2005). Low Birth Weight and Preterm Births: Etiologic Fraction Attributable to Prenatal Drug Exposure. Journal of Perinatology, 25, 631-637. DOI: 10.1038/sj.jp.7211378

- Balarajan, Y., Subramanian, S., & Fawzi, W. (2013). Maternal iron and folic acid supplementation is associated with lower risk of low birth weight in India1-3. *Journal of Nutrition*, 143(8), 1309-1315. <https://doi.org/10.3945/jn.112.172015>
- Balarajan, Y., Subramanian, S., & Fawzi, W. W. (2013). Maternal iron and folic acid supplementation is associated with lower risk of low birth weight in India. *The Journal of Nutrition*, 143(8), 1309-1315. Link
- Ball, L. (2004). Low birth weight: exploring an enigma of failure. *The British Journal of Midwifery*, 12(6), 374-379. <https://doi.org/10.12968/BJOM.2004.12.6.13139>
- Ball, S., Pereira, G., Jacoby, P., Klerk, N., & Stanley, F. (2014). Re-evaluation of link between interpregnancy interval and adverse birth outcomes: retrospective cohort study matching two intervals per mother. *BMJ*, 349(jul23 1), g4333-g4333. <https://doi.org/10.1136/bmj.g4333>
- Ballester, F., Estarlich, M., Iñiguez, C., Llop, S., Ramón, R., Esplugues, A., ... & Rebagliato, M. (2010). Air pollution exposure during pregnancy and reduced birth size: a prospective birth cohort study in Valencia, Spain. *Environmental Health*, 9(1). <https://doi.org/10.1186/1476-069x-9-6>
- Bansal, P., Garg, S., & Upadhyay, H. (2018). Prevalence of low birth weight babies and its association with socio-cultural and maternal risk factors among the institutional deliveries in Bharatpur, Nepal. *Asian Journal of Medical Sciences*, 10(1), 77-85. <https://doi.org/10.3126/ajms.v10i1.21665>
- Bansal, P., Garg, S., & Upadhyay, H. (2018). Prevalence of low birth weight babies and its association with socio-cultural and maternal risk factors among the institutional deliveries in Bharatpur, Nepal. *Asian Journal of Medical Sciences*, 10(1), 77-85. <https://doi.org/10.3126/ajms.v10i1.21665>

- Barros, F. C., Bhutta, Z. A., Batra, M., Hansen, T. N., Victora, C. G., Rubens, C. E. (2010). Global report on preterm birth and stillbirth (3 of 7): evidence for effectiveness of interventions. *BMC Pregnancy and Childbirth*, 10(S1), S3. DOI: 10.1186/1471-2393-10-S1-S3
- Barros, F., Victora, C., Scherpbier, R., & Gwatkin, D. (2010). Socioeconomic inequities in the health and nutrition of children in low/middle income countries. *Revista de saude publica*, 44(1), 1-16. <https://doi.org/10.1590/S0034-89102010000100001>
- Belsches, T., Tilly, A., Miller, T., Kambeyanda, R., Leadford, A., Manasyan, A., ... & Carlo, W. (2013). Randomized trial of plastic bags to prevent term neonatal hypothermia in a resource-poor setting. *Pediatrics*, 132(3), e656-e661. <https://doi.org/10.1542/peds.2013-0172>
- Bigelow, C. and Stone, J. (2011). Bed rest in pregnancy. *Mount Sinai Journal of Medicine a Journal of Translational and Personalized Medicine*, 78(2), 291-302. <https://doi.org/10.1002/msj.20243>
- Biracyaza, E., Habimana, S., Rusengamihigo, D., & Evans, H. (2021). Regular antenatal care visits were associated with low risk of low birth weight among newborns in rwanda: evidence from the 2014/2015 rwanda demographic health survey (rdhs) data. *F1000research*, 10, 402. <https://doi.org/10.12688/f1000research.51969.1>
- Bissinger, R., & Annibale, D. (2010). Thermoregulation in Very Low-Birth-Weight Infants During the Golden Hour: Results and Implications. *Advances in Neonatal Care*, 10, 230–238. DOI: 10.1097/ANC.0b013e3181f0ae63
- Blumenshine, P., Egerter, S., Barclay, C., Cubbin, C., & Braveman, P. (2010). Socioeconomic disparities in adverse birth outcomes: a systematic review. *American journal of preventive medicine*, 39(3), 263-272. <https://doi.org/10.1016/j.amepre.2010.05.012>

- Brand, J., Gaillard, R., West, J., McEachan, R., Wright, J., Voerman, E., ... & Lawlor, D. (2019). Associations of maternal quitting, reducing, and continuing smoking during pregnancy with longitudinal fetal growth: findings from mendelian randomization and parental negative control studies. Plos Medicine, 16(11), e1002972. <https://doi.org/10.1371/journal.pmed.1002972>
- Brown, C. and Garovic, V. (2011). Mechanisms and management of hypertension in pregnant women. Current Hypertension Reports, 13(5), 338-346. <https://doi.org/10.1007/s11906-011-0214-y>
- Browne, P., Linfert, J., & Perez-Jorge, E. (2020). Successful treatment of preterm labor in association with acute covid-19 infection. American Journal of Perinatology, 37(08), 866-868. <https://doi.org/10.1055/s-0040-1709993>
- Burdorf, A., Brand, T., Jaddoe, V., Hofman, A., Mackenbach, J., & Steegers, E. (2010). The effects of work-related maternal risk factors on time to pregnancy, preterm birth and birth weight: the generation r study. Occupational and Environmental Medicine, 68(3), 197-204. <https://doi.org/10.1136/oem.2009.046516>
- Burklow, K., McGrath, A., & Kaul, A. (2002). Management and Prevention of Feeding Problems in Young Children with Prematurity and Very Low Birth Weight. Infants & Young Children, 14, 19-30. DOI: 10.1097/00001163-200204000-00004
- Bush, J., Barlow, D., Echols, J., Wilkerson, J., & Bellevin, K. (2017). Impact of a mobile health application on user engagement and pregnancy outcomes among wyoming medicaid members. Telemedicine Journal and E-Health, 23(11), 891-898. <https://doi.org/10.1089/tmj.2016.0242>
- Canaan, N., Whiting, S., Henry, C., Belachew, T., & Hailemariam, T. (2015). Association between maternal and child nutritional status in hula, rural southern ethiopia: a cross sectional study.

Plos One, 10(11), e0142301.
<https://doi.org/10.1371/journal.pone.0142301>

Carter, E., Temming, L., Akin, J., Fowler, S., Macones, G., Colditz, G., ... & Tuuli, M. (2016). Group prenatal care compared with traditional prenatal care. *Obstetrics and Gynecology*, 128(3), 551-561. <https://doi.org/10.1097/aog.0000000000001560>

Carvajal, J. (2014). Docosahexaenoic acid supplementation early in pregnancy may prevent deep placentation disorders. *Biomed Research International*, 2014, 1-10. <https://doi.org/10.1155/2014/526895>

Castorino, K. and Jovanovic, L. (2011). Pregnancy and diabetes management: advances and controversies. *Clinical Chemistry*, 57(2), 221-230. <https://doi.org/10.1373/clinchem.2010.155382>

Cestonaro, C., Menozzi, L., & Terranova, C. (2022). Infants of mothers with cocaine use: review of clinical and medico-legal aspects. *Children*, 9(1), 67. <https://doi.org/10.3390/children9010067>

Chand, S., Ahmed, F., Shah, M., Leghari, A., Usman, P., Advani, R., ... & Ariff, S. (2019). Frequency of early morbidities in low birth weight neonates at the aga khan university hospital, karachi. *Cureus*. <https://doi.org/10.7759/cureus.6061>

Chandrasekaran, S., Badell, M., & Jamieson, D. (2022). Management of chronic hypertension during pregnancy. *Jama*, 327(17), 1700. <https://doi.org/10.1001/jama.2022.3919>

Chattopadhyay, N. and Mitra, K. (2015). Neurodevelopmental outcome of high risk newborns discharged from special care baby units in a rural district in india. *Journal of Public Health Research*, 4(1), jphr.2015.318. <https://doi.org/10.4081/jphr.2015.318>

Chattopadhyay, N. and Mitra, K. (2015). Neurodevelopmental outcome of high risk newborns discharged from special care baby units in a rural district in india. *Journal of Public Health*

Research, 4(1), jphr.2015.318.
<https://doi.org/10.4081/jphr.2015.318>

Chen, X., Orom, H., Hay, J., Waters, E., Schofield, E., Li, Y., ... & Kiviniemi, M. (2018). Differences in rural and urban health information access and use. *The Journal of Rural Health*, 35(3), 405-417. <https://doi.org/10.1111/jrh.12335>

Chisolm, M., Brigham, E., Lookatch, S., Tuten, M., Strain, E., & Jones, H. (2010). Cigarette smoking knowledge, attitudes, and practices of patients and staff at a perinatal substance abuse treatment center. *Journal of Substance Abuse Treatment*, 39(3), 298-305. <https://doi.org/10.1016/j.jsat.2010.06.008>

Chu, E., Freck, S., Zhang, L., Bhakta, K., & Mikhael, M. (2019). Three-hourly feeding intervals are associated with faster advancement in very preterm infants. *Early Human Development*, 131, 1-5. <https://doi.org/10.1016/j.earlhumdev.2019.01.021>

Clarke, G., Gatford, K., Young, R., Grattan, D., Ladyman, S., & Page, A. (2021). Maternal adaptations to food intake across pregnancy: central and peripheral mechanisms. *Obesity*, 29(11), 1813-1824. <https://doi.org/10.1002/oby.23224>

Class, Q., Rickert, M., Öberg, S., Sujan, A., Almqvist, C., Larsson, H., ... & D'Onofrio, B. (2017). Within-family analysis of interpregnancy interval and adverse birth outcomes. *Obstetrics and Gynecology*, 130(6), 1304-1311. <https://doi.org/10.1097/aog.0000000000002358>

Clermont, A., Kodish, S., Seck, A., Salifou, A., Rosen, J., Grais, R., ... & Isanaka, S. (2018). Acceptability and utilization of three nutritional supplements during pregnancy: findings from a longitudinal, mixed-methods study in niger. *Nutrients*, 10(8), 1073. <https://doi.org/10.3390/nu10081073>

Cnattingius, S. (2004). The epidemiology of smoking during pregnancy: smoking prevalence, maternal characteristics,

- and pregnancy outcomes. Nicotine & Tobacco Research, 6, 125-140. <https://doi.org/10.1080/14622200410001669187>
- Cousens, S., Blencowe, H., Gravett, M., & Lawn, J. E. (2010). Antibiotics for pre-term pre-labour rupture of membranes: prevention of neonatal deaths due to complications of pre-term birth and infection. International Journal of Epidemiology, 39(Suppl 1), i134-i143. DOI: 10.1093/ije/dyq030
- Crume, T., Brinton, J., Shapiro, A., Kaar, J., Glueck, D., Siega-Riz, A., ... & Dabelea, D. (2016). Maternal dietary intake during pregnancy and offspring body composition: the healthy start study. American Journal of Obstetrics and Gynecology, 215(5), 609.e1-609.e8. <https://doi.org/10.1016/j.ajog.2016.06.035>
- Cruz, S. S., Suzart, I., Passos-Soares, J. S., Souza, L. M., Figueiredo, A. C. G., Pinto, P., ... & Trindade, S. (2016). MATERNAL HYPERTENSION AS A RISK FACTOR ASSOCIATED WITH LOW BIRTH WEIGHT. Brazilian Journal of Medicine and Human Health, 4. DOI:10.17267/2317-3386BJMHH.V4I2.948
- Cunnington, A. (2001). What's so bad about teenage pregnancy? Journal of Family Planning and Reproductive Health Care, 27(1), 36-41. DOI: 10.1783/147118901101194877
- da Silva Lopes, K., Ota, E., Shakya, P., Dagvadorj, A., Balogun, O. O., Peña-Rosas, J. P., De-Regil, L. M., & Mori, R. (2017). Effects of nutrition interventions during pregnancy on low birth weight: an overview of systematic reviews. BMJ Global Health, 2. <https://doi.org/10.1136/bmigh-2017-000389>
- Darko, A., Adoba, P., Edzeamey, F., Kd, E., Berko, S., Delphine, G., ... & Kwame, W. (2018). Asymptomatic malaria and its effect on parturients who received intermittent preventive treatment, a cross sectional study of the bekwai district ghana. GSC Biological and Pharmaceutical Sciences, 4(2), 007-016. <https://doi.org/10.30574/gscbps.2018.4.2.0054>

- Davenport, E. S. (2010). Preterm low birthweight and the role of oral bacteria. *Journal of Oral Microbiology*, 2. <https://doi.org/10.3402/jom.v2i0.5779>
- Delpisheh, A., Brabin, L., & Brabin, B. (2006). Pregnancy, smoking and birth outcomes. *Women's Health*, 2(3), 389-403. DOI: 10.2217/17455057.2.3.389 ↵
- Denktaş, S., Poeran, J., Voorst, S., Vos, A., Jong-Potjer, L., Waalput, A., ... & Steegers, E. (2014). Design and outline of the healthy pregnancy 4 all study. *BMC Pregnancy and Childbirth*, 14(1). <https://doi.org/10.1186/1471-2393-14-253>
- Donnellan, D., Moore, Z., Patton, D., O'Connor, T., & Nugent, L. (2020). The effect of thermoregulation quality improvement initiatives on the admission temperature of premature/very low birth-weight infants in neonatal intensive care units: a systematic review. *Journal for Specialists in Pediatric Nursing*, 25(2). <https://doi.org/10.1111/jspn.12286>
- Drotar, D., Hack, M., Taylor, G., Schluchter, M., Andreias, L., & Klein, N. (2006). The impact of extremely low birth weight on the families of school-aged children. *Pediatrics*, 117(6), 2006-2013. <https://doi.org/10.1542/peds.2005-2118>
- Dsilna, A., Christensson, K., Alfredsson, L., Lagercrantz, H., & Blennow, M. (2005). Continuous feeding promotes gastrointestinal tolerance and growth in very low birth weight infants. *The Journal of Pediatrics*, 147(1), 43-49. <https://doi.org/10.1016/j.jpeds.2005.03.003>
- Duffy, P. and Fried, M. (2011). Pregnancy malaria: cryptic disease, apparent solution. *Memórias Do Instituto Oswaldo Cruz*, 106(suppl 1), 64-69. <https://doi.org/10.1590/s0074-02762011000900008>
- Durrani, A. and Rani, A. (2011). Effect of maternal dietary intake on the weight of the newborn in aligarh city, india. *Nigerian Medical Journal*, 52(3), 177. <https://doi.org/10.4103/0300-1652.86132>

Durrani, A. and Rani, A. (2011). Effect of maternal dietary intake on the weight of the newborn in aligarh city, india. Nigerian Medical Journal, 52(3), 177. <https://doi.org/10.4103/0300-1652.86132>

Düz, S., Tuncay, G., Cengiz, M., & Karaer, A. (2021). The definition of the upper limit of adolescent age in terms of adverse pregnancy outcomes. Cureus. <https://doi.org/10.7759/cureus.20591>

Ejigu, H. (2023). Stunting at birth: linear growth failure at an early age among newborns in hawassa city public health hospitals, sidama region, ethiopia: a facility-based cross-sectional study. Journal of Nutritional Science, 12. <https://doi.org/10.1017/jns.2023.46>

Ejigu, H. (2023). Stunting at birth: linear growth failure at an early age among newborns in hawassa city public health hospitals, sidama region, ethiopia: a facility-based cross-sectional study. Journal of Nutritional Science, 12. <https://doi.org/10.1017/jns.2023.46>

El-Helaly, M., Abdel-Elah, K., Haussein, A., & Shalaby, H. (2011). Paternal occupational exposures and the risk of congenital malformations – a case-control study. International Journal of Occupational Medicine and Environmental Health, 24(2). <https://doi.org/10.2478/s13382-011-0019-x>

Elster, N. (2000). Less is more: the risks of multiple births. Fertility and Sterility, 74(4), 617-623. [https://doi.org/10.1016/S0015-0282\(00\)00713-5](https://doi.org/10.1016/S0015-0282(00)00713-5)

Emani, A. and Shetty, S. (2018). Obstetric outcome of teenage pregnancies in a tertiary care centre in mangalore, karnataka, india. International Journal of Reproduction Contraception Obstetrics and Gynecology, 7(5), 1786. <https://doi.org/10.18203/2320-1770.ijrcog20181903>

Erickson, K., Kritz-Silverstein, D., Wingard, D., & Barrett-Connor, E. (2009). Birth weight and cognitive performance in older

women: the rancho bernardo study. Archives of Women S Mental Health, 13(2), 141-146.
<https://doi.org/10.1007/s00737-009-0102-5>

Farajdokht, F., Sadigh-Eteghad, S., Dehghani, R., Mohaddes, G., Abedi, L., Bughchechi, R., Majdi, A., & Mahmoudi, J. (2017). Very low birth weight is associated with brain structure abnormalities and cognitive function impairments: A systematic review. *Brain and Cognition*, 118, 80-89.
<https://doi.org/10.1016/j.bandc.2017.07.006>

Figueiredo, A. C. G., Gomes-Filho, I., Batista, J., Orrico, G. S., Porto, E. C. L., Pimenta, R. M. C., ... & Pereira, M. G. (2019). Maternal anemia and birth weight: A prospective cohort study. *PLoS ONE*, 14. DOI:10.1371/journal.pone.0212817

Figueiredo, A. C. G., Gomes-Filho, I., Silva, R. B., Pereira, P. P. S., Mata, F. D., Lyrio, A., ... & Pereira, M. G. (2018). Maternal Anemia and Low Birth Weight: A Systematic Review and Meta-Analysis. *Nutrients*, 10(5), 601. DOI:10.3390/nu10050601

Fonseca, E., Bittar, R., Carvalho, M., & Zugaib, M. (2003). Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo-controlled double-blind study. *American Journal of Obstetrics and Gynecology*, 188(2), 419-424.
<https://doi.org/10.1067/mob.2003.41>

Francis, F., Johnsunderraj, S., Divya, K., Raghavan, D., Al-Furgani, A., Bera, L., ... & Abraham, A. (2021). Ergonomic stressors among pregnant healthcare workers. *Sultan Qaboos University Medical Journal [Squmj]*, 21(2), e172-181.
<https://doi.org/10.18295/squmj.2021.21.02.004>

Fryer, K., Lewis, G., Munoz, C., & Stuebe, A. (2021). Identifying barriers and facilitators to prenatal care for spanish-speaking women. *North Carolina Medical Journal*, 82(1), 7-13.
<https://doi.org/10.18043/ncm.82.1.7>

- Gaccioli, F., Lager, S., Powell, T., & Jansson, T. (2012). Placental transport in response to altered maternal nutrition. *Journal of Developmental Origins of Health and Disease*, 4(2), 101-115. <https://doi.org/10.1017/s2040174412000529>
- Gaíva, M., Fujimori, E., & Sato, A. (2014). Neonatal mortality in infants with low birth weight. *Revista Da Escola De Enfermagem Da Usp*, 48(5), 778-786. <https://doi.org/10.1590/s0080-6234201400005000002>
- Gao, R., Liu, B., Yang, W., Wu, Y., Wang, B., Santillan, M., ... & Bao, W. (2021). Association of maternal sexually transmitted infections with risk of preterm birth in the united states. *Jama Network Open*, 4(11), e2133413. <https://doi.org/10.1001/jamanetworkopen.2021.33413>
- García-Esquinas, E., Pérez-Gómez, B., Fernández-Navarro, P., Fernández, M., Paz, C., Pérez-Meixeira, A., ... & Aragonés, N. (2013). Lead, mercury and cadmium in umbilical cord blood and its association with parental epidemiological variables and birth factors. *BMC Public Health*, 13(1). <https://doi.org/10.1186/1471-2458-13-841>
- Geelhoed, J., Marroun, H., Verburg, B., Osch-Gevers, L., Hofman, A., Huijink, A., ... & Jaddoe, V. (2011). Maternal smoking during pregnancy, fetal arterial resistance adaptations and cardiovascular function in childhood. *Bjog an International Journal of Obstetrics & Gynaecology*, 118(6), 755-762. <https://doi.org/10.1111/j.1471-0528.2011.02900.x>
- Gnanasekaran, S., Jakanattane, V., & Rajendran, R. (2019). Study on the effect of maternal anemia on birth weight of term neonates among rural population india. *International Journal of Contemporary Pediatrics*, 6(3), 1255. <https://doi.org/10.18203/2349-3291.ijcp20192023>
- Gogoi, N. (2018). Maternal and neonatal risk factors of low birth weight in guwahati metro, assam, northeast india. *Academic Journal of Pediatrics & Neonatology*, 6(5). <https://doi.org/10.19080/ajpn.2018.06.555754>

- Goisis, A., Özcan, B., & Myrskylä, M. (2016). Decline in the negative association between low birth weight and cognitive ability. *Proceedings of the National Academy of Sciences*, 114(1), 84-88. <https://doi.org/10.1073/pnas.1605544114>
- Goldenberg, R. and Culhane, J. (2007). Low birth weight in the united states. *American Journal of Clinical Nutrition*, 85(2), 584S-590S. <https://doi.org/10.1093/ajcn/85.2.584s>
- Goldenberg, R., Cliver, S., Bronstein, J., Cutter, G., Andrews, W., & Mennemeyer, S. (1994). BED REST IN PREGNANCY. *Obstetrics & Gynecology*, 84(1), 131–136.
- Gomes, F., Ashorn, P., Askari, S., Belizán, J., Boy, E., Cormick, G., ... & Bourassa, M. (2022). Calcium supplementation for the prevention of hypertensive disorders of pregnancy: current evidence and programmatic considerations. *Annals of the New York Academy of Sciences*, 1510(1), 52-67. <https://doi.org/10.1111/nyas.14733>
- Gomez, K., Goodwin, L., Chisholm, A., & Rose, A. (2022). Alcohol use during pregnancy and motherhood: attitudes and experiences of pregnant women, mothers, and healthcare professionals. *Plos One*, 17(12), e0275609. <https://doi.org/10.1371/journal.pone.0275609>
- Gomindes, A., Bhakthavalsalan, R., Sharma, U., Johnston, S., & Naushad, A. (2022). Prevalence of high-risk pregnancy among pregnant women attending antenatal care camps in primary health centres in kinaye and vantamuri and their sub-centres. *Cureus*. <https://doi.org/10.7759/cureus.27355>
- Greene, N., Leung, K., & Copp, A. (2017). Inositol, neural tube closure and the prevention of neural tube defects. *Birth Defects Research*, 109(2), 68-80. <https://doi.org/10.1002/bdra.23533>
- Grieger, J., & Clifton, V. (2014). A review of the impact of dietary intakes in human pregnancy on infant birthweight. *Nutrients*, 7(1), 153-178. <https://doi.org/10.3390/nu7010153>

- Gupta, N. and Bowman, C. (2012). Managing sexually transmitted infections in pregnant women. *Women S Health*, 8(3), 313-321. <https://doi.org/10.2217/whe.12.16>
- Hacker, A., Fung, E., & King, J. (2012). Role of calcium during pregnancy: maternal and fetal needs. *Nutrition Reviews*, 70(7), 397-409. <https://doi.org/10.1111/j.1753-4887.2012.00491.x>
- Hailu, L. and Kebede, D. (2018). Determinants of low birth weight among deliveries at a referral hospital in northern ethiopia. *Biomed Research International*, 2018, 1-8. <https://doi.org/10.1155/2018/8169615>
- Handayani, R. (2019). Effect of Antenatal Mental Health Disorder on Fetal Growth:A Systematic Review. *Promoting Population Mental Health and Well-Being*. DOI: 10.26911/THEICPH.2019.03.62
- Handayani, R., Widiyanto, A., Atmojo, J. T., & Setyorini, C. (2020). Effect of Antenatal Mental Health Disorder on Fetal Growth: A Systematic Review. DOI: 10.26911/thejmch.2020.05.02.04
- Hansen, C., Barnett, A., & Pritchard, G. (2008). The effect of ambient air pollution during early pregnancy on fetal ultrasonic measurements during mid-pregnancy. *Environmental Health Perspectives*, 116(3), 362-369. <https://doi.org/10.1289/ehp.10720>
- Hantoushzadeh, S., Jafarabadi, M., & Khazardoust, S. (2007). Serum magnesium levels, muscle cramps, and preterm labor. *International Journal of Gynecology & Obstetrics*, 98(2), 153-154. <https://doi.org/10.1016/j.ijgo.2007.04.009>
- Harpole, W., Sullivan, L., Lind, E., Firn, J., Adler, P., Borer, E., ... & Wragg, P. (2016). Addition of multiple limiting resources reduces grassland diversity. *Nature*, 537(7618), 93-96. <https://doi.org/10.1038/nature19324>
- Harris, M., Henke, C., Hearst, M., & Campbell, K. (2020). Future directions: analyzing health disparities related to maternal

- hypertensive disorders. *Journal of Pregnancy*, 2020, 1-5.
<https://doi.org/10.1155/2020/7864816>
- Hart, B., Morgan, E., & Alejandro, E. (2019). Nutrient sensor signaling pathways and cellular stress in fetal growth restriction. *Journal of Molecular Endocrinology*, 62(2), R155-R165. <https://doi.org/10.1530/jme-18-0059>
- Hatunic, M. (2019). Intrapartum management of glucose for diabetes in pregnancy. *Journal of Gynecology and Womens Health*, 17(1). <https://doi.org/10.19080/jgwh.2019.17.555955>
- Hayward, C., Greenwood, S., Sibley, C., Baker, P., Challis, J., & Jones, R. (2012). Effect of maternal age and growth on placental nutrient transport: potential mechanisms for teenagers' predisposition to small-for-gestational-age birth?. *Ajp Endocrinology and Metabolism*, 302(2), E233-E242. <https://doi.org/10.1152/ajpendo.00192.2011>
- Heaman, M., Sword, W., Elliott, L., Moffatt, M., Helewa, M., Morris, H., ... & Cook, C. (2015). Perceptions of barriers, facilitators and motivators related to use of prenatal care: a qualitative descriptive study of inner-city women in winnipeg, canada. *Sage Open Medicine*, 3, 205031211562131. <https://doi.org/10.1177/2050312115621314>
- Hendy, A., El-Nagger, N., Abozeid, A., Reshia, F., Salih, S., Alruwaili, M., ... & Hendy, A. (2021). Outcome of abdominal massage before gavage feeding on tolerated feeding for low birth weight infants. *Nursing Open*, 9(2), 1060-1065. <https://doi.org/10.1002/nop2.1144>
- Hobel, C., & Culhane, J. (2003). Role of psychosocial and nutritional stress on poor pregnancy outcome. *The Journal of Nutrition*, 133(5 Suppl 2), 1709S-1717S. <https://doi.org/10.1093/jn/133.5.1709S>
- Hod, M., Kapur, A., Sacks, D., Hadar, E., Agarwal, M., Renzo, G., ... & Divakar, H. (2015). The international federation of gynecology and obstetrics (figo) initiative on gestational

diabetes mellitus: a pragmatic guide for diagnosis, management, and care#. International Journal of Gynecology & Obstetrics, 131(S3). [https://doi.org/10.1016/s0020-7292\(15\)30033-3](https://doi.org/10.1016/s0020-7292(15)30033-3)

Hodnett, E., & Fredericks, S. (2003). Support during pregnancy for women at increased risk of low birthweight babies. The Cochrane Database of Systematic Reviews, 3, CD0000198. https://doi.org/10.1046/J.1523-536X.2003.259_1.X

Hoffman, S. and Hatch, M. (1996). Stress, social support and pregnancy outcome: a reassessment based on recent research. Paediatric and Perinatal Epidemiology, 10(4), 380-405. <https://doi.org/10.1111/j.1365-3016.1996.tb00063.x>

Hooven, E., Pierik, F., Kluizenaar, Y., Willemsen, S., Hofman, A., Ratingen, S., ... & Jaddoe, V. (2012). Air pollution exposure during pregnancy, ultrasound measures of fetal growth, and adverse birth outcomes: a prospective cohort study. Environmental Health Perspectives, 120(1), 150-156. <https://doi.org/10.1289/ehp.1003316>

Hossain, F., Adhikary, G., Arafat, Y., & Shawon, S. (2019). Low birth weight in bangladesh and associated maternal and socioeconomic factors: results from a recent nationally-representative survey.. <https://doi.org/10.1101/546333>

Hughes, M., Black, R., & Katz, J. (2016). 2500-g low birth weight cutoff: history and implications for future research and policy. Maternal and Child Health Journal, 21(2), 283-289. <https://doi.org/10.1007/s10995-016-2131-9>

Hutcheon, J. and Harper, S. (2018). Invited commentary: promise and pitfalls of the sibling comparison design in studies of optimal birth spacing. American Journal of Epidemiology, 188(1), 17-21. <https://doi.org/10.1093/aje/kwy195>

Hwang, J., Lee, E., & Kim, E. (2015). Retinopathy of prematurity among very-low-birth-weight infants in korea: incidence, treatment, and risk factors. Journal of Korean Medical

Science, 30(Suppl 1), S88.
<https://doi.org/10.3346/jkms.2015.30.s1.s88>

Ilboudo, B., Savadogo, L., Traoré, I., Média, Z., Hervé, H., Kinda, M., ... & Donnen, P. (2022). Effect of personalized home-based support for pregnant women on pregnancy outcomes: a cluster randomized trial. *Journal of Public Health in Africa*, 13(3). <https://doi.org/10.4081/jphia.2022.1939>

Imdad, A. and Bhutta, Z. (2012). Maternal nutrition and birth outcomes: effect of balanced protein-energy supplementation. *Paediatric and Perinatal Epidemiology*, 26(s1), 178-190. <https://doi.org/10.1111/j.1365-3016.2012.01308.x>

Iñiguez, C., Ballester, F., Costa, O., Murcia, M., Souto, A., Santa-Marina, L., ... & Rebagliato, M. (2013). Maternal smoking during pregnancy and fetal biometry. *American Journal of Epidemiology*, 178(7), 1067-1075. <https://doi.org/10.1093/aje/kwt085>

Iñiguez, C., Ballester, F., Estarlich, M., Murcia, M., Llop, S., Plana, A., ... & Rebagliato, M. (2012). Prenatal exposure to traffic-related air pollution and fetal growth in a cohort of pregnant women. *Occupational and Environmental Medicine*, 69(10), 736-744. <https://doi.org/10.1136/oemed-2011-100550>

Jang, W., Kim, H., Lee, B., & Chang, N. (2018). Maternal fruit and vegetable or vitamin c consumption during pregnancy is associated with fetal growth and infant growth up to 6 months: results from the korean mothers and children's environmental health (moceh) cohort study. *Nutrition Journal*, 17(1). <https://doi.org/10.1186/s12937-018-0410-6>

Jayasooriya, G. and Lamont, R. (2009). The use of progesterone and other progestational agents to prevent spontaneous preterm labour and preterm birth. *Expert Opinion on Pharmacotherapy*, 10(6), 1007-1016. <https://doi.org/10.1517/14656560902851403>

- Jeanty, P., Cousaert, E., Maertelaer, V., & Cantraine, F. (1987). Sonographic detection of smoking-related decreased fetal growth.. *Journal of Ultrasound in Medicine*, 6(1), 13-18. <https://doi.org/10.7863/jum.1987.6.1.13>
- Jones, R., Cederberg, H., Wheeler, S., Poston, L., Hutchinson, C., Seed, P., ... & Baker, P. (2009). Relationship between maternal growth, infant birthweight and nutrient partitioning in teenage pregnancies. *Bjog an International Journal of Obstetrics & Gynaecology*, 117(2), 200-211. <https://doi.org/10.1111/j.1471-0528.2009.02371.x>
- Jornayvaz, F., Vollenweider, P., Bochud, M., Mooser, V., Waeber, G., & Marques-Vidal, P. (2016). Low birth weight leads to obesity, diabetes and increased leptin levels in adults: the colaus study. *Cardiovascular Diabetology*, 15(1). <https://doi.org/10.1186/s12933-016-0389-2>
- Jwa, S., Fujiwara, T., Yamanobe, Y., Kozuka, K., & Sago, H. (2015). Changes in maternal hemoglobin during pregnancy and birth outcomes. *BMC Pregnancy and Childbirth*, 15(1). <https://doi.org/10.1186/s12884-015-0516-1>
- K, L. (2018). Predictors of low birth weight in antenatal women. *Journal of Gynecological Research and Obstetrics*, 024-027. <https://doi.org/10.17352/jgro.000053>
- Kader, M. and Perera, N. (2014). Socio-economic and nutritional determinants of low birth weight in india. *North American Journal of Medical Sciences*, 6(7), 302. <https://doi.org/10.4103/1947-2714.136902>
- Kain, D., Ouattara, A., Zamané, H., Kiemtoré, S., Ouedraogo, I., Sawadogo, Y., ... & Thieba, B. (2018). Low birth weight at term: risk factors and perinatal prognosis in the teaching hospital yalgado ouédraogo, burkina faso. *Open Journal of Obstetrics and Gynecology*, 08(14), 1510-1519. <https://doi.org/10.4236/ojog.2018.814152>

- Kim, C., Mansoor, G., Paya, P., Ludin, M., Ahrar, M., Mashal, M., ... & Todd, C. (2020). Review of policies, data, and interventions to improve maternal nutrition in afghanistan. *Maternal and Child Nutrition*, 16(4). <https://doi.org/10.1111/mcn.13003>
- Kirwin, S., Bhandari, V., DiMatteo, D., Barone, C., Johnson, L., Paul, S., ... & Funanage, V. (2006). Leptin enhances lung maturity in the fetal rat. *Pediatric Research*, 60(2), 200-204. <https://doi.org/10.1203/01.pdr.0000227478.29271.52>
- Knobel, R., Holditch-Davis, D., Schwartz, T., & Wimmer, J. (2009). Extremely low birth weight preterm infants lack vasomotor response in relationship to cold body temperatures at birth. *Journal of Perinatology*, 29(12), 814-821. <https://doi.org/10.1038/jp.2009.99>
- Konrad, K., Campbell, R., Thiel, V., & Sullivan-Brown, J. (2018). The folic acid metabolism gene mel-32/shmt is required for normal cell cycle lengths in caenorhabditis elegans. *The International Journal of Developmental Biology*, 62(9-10), 641-645. <https://doi.org/10.1387/ijdb.180023js>
- Kuile, F., Terlouw, D., Phillips-Howard, P., Hawley, W., Friedman, J., Kariuki, S., ... & Nahlen, B. (2003). Reduction of malaria during pregnancy by permethrin-treated bed nets in an area of intense perennial malaria transmission in western kenya. *American Journal of Tropical Medicine and Hygiene*, 68(4_suppl), 50-60. <https://doi.org/10.4269/ajtmh.2003.68.50>
- Kumar, A. and Kaur, S. (2017). Calcium: a nutrient in pregnancy. *The Journal of Obstetrics and Gynecology of India*, 67(5), 313-318. <https://doi.org/10.1007/s13224-017-1007-2>
- Kumar, S., Kumar, K., Laxminarayan, R., & Nandi, A. (2022). Birth weight and cognitive development during childhood: evidence from india. *Economic Papers a Journal of Applied Economics and Policy*, 41(2), 155-175. <https://doi.org/10.1111/1759-3441.12335>

- Laksono, A., Wulandari, R., & Matahari, R. (2023). Socioeconomic disparities in low birth weight in indonesia's rural areas: a population-based study., 403-413.
https://doi.org/10.2991/978-94-6463-112-8_37
- Langendijk, P. (2021). Latest advances in sow nutrition during early gestation. Animals, 11(6), 1720.
<https://doi.org/10.3390/ani11061720>
- Lazzeri, J. (2023). Hats off for full-term healthy newborns. The Journal of Perinatal & Neonatal Nursing, 37(4), 340-347.
<https://doi.org/10.1097/jpn.0000000000000758>
- Leadford, A., Warren, J., Manasyan, A., Chomba, E., Salas, A., Schelonka, R., ... & Carlo, W. (2013). Plastic bags for prevention of hypothermia in preterm and low birth weight infants. Pediatrics, 132(1), e128-e134.
<https://doi.org/10.1542/peds.2012-2030>
- Lee, K., Song, I., Kim, E., & Ahn, K. (2020). Determinants of spontaneous preterm labor and birth including gastroesophageal reflux disease and periodontitis. Journal of Korean Medical Science, 35(14).
<https://doi.org/10.3346/jkms.2020.35.e105>
- Lee, S., Lee, S., Lim, N., Kim, H., Bae, S., Ock, M., ... & Jo, M. (2016). Differences in pregnancy outcomes, prenatal care utilization, and maternal complications between teenagers and adult women in korea. Medicine, 95(34), e4630.
<https://doi.org/10.1097/md.0000000000004630>
- Levine, T. A., Alderdice, F., Grunau, R., & McAuliffe, F. M. (2016). Prenatal stress and hemodynamics in pregnancy: A systematic review. Archives of Women's Mental Health, 19, 721-739. DOI: 10.1007/s00737-016-0645-1
- Lewis, A., Austin, E., & Galbally, M. (2016). Prenatal maternal mental health and fetal growth restriction: a systematic review. Journal of Developmental Origins of Health and

- Disease, 7(4), 416-428.
<https://doi.org/10.1017/s2040174416000076>
- Li, D. and Daling, J. (1991). Maternal smoking, low birth weight, and ethnicity in relation to sudden infant death syndrome. *American Journal of Epidemiology*, 134(9), 958-964.
<https://doi.org/10.1093/oxfordjournals.aje.a116180>
- Li, N., Liu, E., Guo, J., Pan, L., Li, B., Wang, P., ... & Hu, G. (2013). Maternal prepregnancy body mass index and gestational weight gain on pregnancy outcomes. *Plos One*, 8(12), e82310.
<https://doi.org/10.1371/journal.pone.0082310>
- Lim, G., Tracey, J., Boom, N., Karmakar, S., Wang, J., Berthelot, J., ... & Heick, C. (2009). Cihi survey: hospital costs for preterm and small-for-gestational age babies in canada. *Healthcare Quarterly*, 12(4), 20-24.
<https://doi.org/10.12927/hcq.2013.21121>
- Lima, R., Batista, R., Ribeiro, M., Ribeiro, C., Neto, P., Silva, A., ... & Bettoli, H. (2018). Prepregnancy body mass index, gestational weight gain, and birth weight in the brisa cohort. *Revista De Saúde Pública*, 52, 46. <https://doi.org/10.11606/s1518-8787.2018052000125>
- Lin, J., Wang, C., Li, S., Zhang, J., Tong, M., Wu, M., ... & Jin, L. (2022). Periconceptional folic acid supplementation and newborn birth weights. *Frontiers in Pediatrics*, 10.
<https://doi.org/10.3389/fped.2022.844404>
- Lindsay, J. and Nieman, L. (2005). The hypothalamic-pituitary-adrenal axis in pregnancy: challenges in disease detection and treatment. *Endocrine Reviews*, 26(6), 775-799.
<https://doi.org/10.1210/er.2004-0025>
- Liu, J., Wang, L., Zhang, Y., Zhang, L., Jin, L., Zhi-wen, L., ... & Ren, A. (2020). Selected structural birth defects – shanxi province, china, 2000–2019. *China CDC Weekly*, 2(37), 718-722.
<https://doi.org/10.46234/ccdw2020.196>

- Lu, M. C., Taché, V., Alexander, G. R., Kotelchuck, M., & Halfon, N. (2003). Preventing low birth weight: is prenatal care the answer? *The Journal of Maternal-Fetal & Neonatal Medicine*, 13(6), 362-380. <https://doi.org/10.1080/jmf.13.6.362.380>
- Lumley, J., Oliver, S. S., Waters, E., & Oakley, L. (2000). Interventions for promoting smoking cessation during pregnancy. *The Cochrane Database of Systematic Reviews*, (2), CD001055. DOI: 10.1002/14651858.CD001055.PUB2 ↵
- Luyckx, V., Bertram, J., Brenner, B., Fall, C., Hoy, W., Ozanne, S., ... & Vikse, B. (2013). Effect of fetal and child health on kidney development and long-term risk of hypertension and kidney disease. *The Lancet*, 382(9888), 273-283. [https://doi.org/10.1016/s0140-6736\(13\)60311-6](https://doi.org/10.1016/s0140-6736(13)60311-6)
- Mairesse, J., Lésage, J., Breton, C., Bréant, B., Hahn, T., Darnaudéry, M., ... & Viltart, O. (2007). Maternal stress alters endocrine function of the feto-placental unit in rats. *Ajp Endocrinology and Metabolism*, 292(6), E1526-E1533. <https://doi.org/10.1152/ajpendo.00574.2006>
- Maloni, J. (2010). Antepartum bed rest for pregnancy complications: efficacy and safety for preventing preterm birth. *Biological Research for Nursing*, 12(2), 106-124. <https://doi.org/10.1177/1099800410375978>
- Maloni, J. (2011). Lack of evidence for prescription of antepartum bed rest. *Expert Review of Obstetrics & Gynecology*, 6(4), 385-393. <https://doi.org/10.1586/eog.11.28>
- Maloni, J., Alexander, G., Schluchter, M., Shah, D., & Park, S. (2004). Antepartum bed rest: maternal weight change and infant birth weight. *Biological Research for Nursing*, 5(3), 177-186. <https://doi.org/10.1177/1099800403260307>
- Mamun, A., Callaway, L., O'Callaghan, M., Williams, G., Najman, J., Alati, R., ... & Lawlor, D. (2011). Associations of maternal pre-pregnancy obesity and excess pregnancy weight gains with adverse pregnancy outcomes and length of hospital

- stay. BMC Pregnancy and Childbirth, 11(1).
<https://doi.org/10.1186/1471-2393-11-62>
- Manuaba, I. and Dharma, B. (2023). Feeding therapy in preterm infants. Surabaya Physical Medicine and Rehabilitation Journal, 5(1), 37-42.
<https://doi.org/10.20473/spmrj.v5i1.33905>
- Mattison, D. (2010). Environmental exposures and development. Current Opinion in Pediatrics, 22(2), 208-218.
<https://doi.org/10.1097/mop.0b013e32833779bf>
- McCall, C. A., Grimes, D. A., & Lyerly, A. D. (2013). "Therapeutic" bed rest in pregnancy: unethical and unsupported by data. Obstetrics and Gynecology, 121(6), 1305-8.
<https://doi.org/10.1097/AOG.0b013e318293f12f>
- McCall-Hosenfeld, J. and Weisman, C. (2011). Receipt of preventive counseling among reproductive-aged women in rural and urban communities. Rural and Remote Health.
<https://doi.org/10.22605/rrh1617>
- McDonald, S., Han, Z., Mulla, S., & Beyene, J. (2010). Overweight and obesity in mothers and risk of preterm birth and low birth weight infants: systematic review and meta-analyses. BMJ, 341(jul20 1), c3428-c3428. <https://doi.org/10.1136/bmj.c3428>
- McDonnell, B., Keogan, S., Clancy, L., & Regan, C. (2019). Smoking cessation through optimisation of clinical care in pregnancy: the stop randomised controlled trial. Trials, 20(1).
<https://doi.org/10.1186/s13063-019-3653-4>
- McGuire, W. and Bombell, S. (2008). Slow advancement of enteral feed volumes to prevent necrotising enterocolitis in very low birth weight infants..
<https://doi.org/10.1002/14651858.cd001241.pub2>
- Medina-Marino, A., Cleary, S., Muzny, C., Taylor, C., Tamhane, A., Ngwepe, P., ... & Klausner, J. (2022). Sexually transmitted infection screening to prevent adverse birth and newborn outcomes: study protocol for a randomized-controlled

- hybrid-effectiveness trial. Trials, 23(1).
<https://doi.org/10.1186/s13063-022-06400-y>
- Melchiorre, K., Giorgione, V., & Thilaganathan, B. (2022). The placenta and preeclampsia: villain or victim?. American Journal of Obstetrics and Gynecology, 226(2), S954-S962.
<https://doi.org/10.1016/j.ajog.2020.10.024>
- Menalu, M., Gebremichael, B., Desta, K., Kebede, W., Tarekegn, F., Mulu, G., ... & Atinifu, B. (2022). Time to death and its predictors among neonates who were admitted to the neonatal intensive care unit at tertiary hospital, addis ababa, ethiopia: retrospective follow up study. Frontiers in Pediatrics, 10. <https://doi.org/10.3389/fped.2022.913583>
- Menéndez, C., Bardají, A., Sigaùque, B., Romagosa, C., Sanz, S., Serra-Casas, E., ... & Alonso, P. (2008). A randomized placebo-controlled trial of intermittent preventive treatment in pregnant women in the context of insecticide treated nets delivered through the antenatal clinic. Plos One, 3(4), e1934.
<https://doi.org/10.1371/journal.pone.0001934>
- Mengesha, H., Wuneh, A., Weldearegawi, B., & Selvakumar, D. (2017). Low birth weight and macrosomia in tigray, northern ethiopia: who are the mothers at risk?. BMC Pediatrics, 17(1).
<https://doi.org/10.1186/s12887-017-0901-1>
- Mengesha, H., Wuneh, A., Weldearegawi, B., & Selvakumar, D. (2017). Low birth weight and macrosomia in tigray, northern ethiopia: who are the mothers at risk?. BMC Pediatrics, 17(1).
<https://doi.org/10.1186/s12887-017-0901-1>
- Mengesha, H., Wuneh, A., Weldearegawi, B., & Selvakumar, D. (2017). Low birth weight and macrosomia in tigray, northern ethiopia: who are the mothers at risk?. BMC Pediatrics, 17(1).
<https://doi.org/10.1186/s12887-017-0901-1>
- Meulen, J. (2002). Commentary: maternal smoking during pregnancy and obesity in the offspring. International Journal

- of Epidemiology, 31(2), 420-421.
<https://doi.org/10.1093/ije/31.2.420>
- Micali, N., Northstone, K., Emmett, P., Naumann, U., & Treasure, J. (2012). Nutritional intake and dietary patterns in pregnancy: a longitudinal study of women with lifetime eating disorders. British Journal of Nutrition, 108(11), 2093-2099.
<https://doi.org/10.1017/s0007114512000256>
- Miller, S., Lee, H., & Gould, J. (2011). Hypothermia in very low birth weight infants: distribution, risk factors and outcomes. Journal of Perinatology, 31(S1), S49-S56.
<https://doi.org/10.1038/jp.2010.177>
- Misra, D. and Nguyen, R. (1999). Environmental tobacco smoke and low birth weight: a hazard in the workplace?. Environmental Health Perspectives, 107(suppl 6), 897-904.
<https://doi.org/10.1289/ehp.99107s6897>
- Miyake, Y., Tanaka, K., Okubo, H., Sasaki, S., & Arakawa, M. (2014). Alcohol consumption during pregnancy and birth outcomes: the Kyushu Okinawa Maternal and Child Health Study. BMC Pregnancy and Childbirth, 14, 79. DOI: 10.1186/1471-2393-14-79
- Monjezi, M., Rostami, S., Kal Boland, M. M., & Cheraghian, B. (2016). Survey of the Relationship Between Mother's Chronic Diseases and Low Birth Weight in Infants, Ahvaz, South of Iran, 2014. Jundishapur Journal of Chronic Disease Care, 6. DOI:10.5812/JCDC.38259
- Moreira, A., Sousa, P., & Sarno, F. (2018). Low birth weight and its associated factors. Einstein (São Paulo), 16(4).
https://doi.org/10.31744/einstein_journal/2018ao4251
- Moussa, H., Nasab, S., Haidar, Z., Blackwell, S., & Sibai, B. (2016). Folic acid supplementation: what is new? fetal, obstetric, long-term benefits and risks. Future Science Oa, 2(2).
<https://doi.org/10.4155/fsoa-2015-0015>

Msall, M. and Tremont, M. (2002). Measuring functional outcomes after prematurity: developmental impact of very low birth weight and extremely low birth weight status on childhood disability. *Mental Retardation and Developmental Disabilities Research Reviews*, 8(4), 258-272. <https://doi.org/10.1002/mrdd.10046>

Mulatu, T., Bililign, N., & Demis, A. (2019). Risk factors for low birth weight in hospitals of north wello zone, ethiopia: a case-control study. *Plos One*, 14(3), e0213054. <https://doi.org/10.1371/journal.pone.0213054>

Mulder, E., Robles de Medina, P., Huizink, A., Van den Bergh, B., Buitelaar, J., & Visser, G. (2002). Prenatal maternal stress: effects on pregnancy and the (unborn) child. *Early Human Development*, 70(1-2), 3-14. DOI: 10.1016/S0378-3782(02)00075-0

Müngen, E. (2003). Iron supplementation in pregnancy. *Journal of Perinatal Medicine*, 31(5). <https://doi.org/10.1515/jpm.2003.065>

Mussa, A., Wynn, A., Ryan, R., Babalola, C., Simon, S., Ramontshonyana, K., ... & Morroni, C. (2022). High cure rate among pregnant women in a chlamydia trachomatis and neisseria gonorrhoeae testing and treatment intervention study in gaborone, botswana. *Sexually Transmitted Diseases*, 50(2), 124-127. <https://doi.org/10.1097/olq.0000000000001725>

Mustufa, M., Korejo, R., Shahid, A., & Nasim, S. (2014). Infection remains a leading cause of neonatal mortality among infants delivered at a tertiary hospital in karachi, pakistan. *The Journal of Infection in Developing Countries*, 8(11), 1470-1475. <https://doi.org/10.3855/jidc.3569>

Muthayya, S. (2009). Maternal nutrition & low birth weight - what is really important? *The Indian Journal of Medical Research*, 130(5), 600-608. Link

- Nam, J., Oh, S., & Park, S. (2022). The association between adequate prenatal care and severe maternal morbidity among teenage pregnancies: a population-based cohort study. *Frontiers in Public Health*, 10. <https://doi.org/10.3389/fpubh.2022.782143>
- Nam, N., Dem, P., Tam, N., & Dung, N. (2020). Preterm birth and low birth weight in neonates with postnatal respiratory failure at a tertiary hospital in viet nam. *Biomedical Research and Therapy*, 7(9), 4010-4015. <https://doi.org/10.15419/bmrat.v7i9.633>
- Nayak, K., Mehra, J., Singh, N., Sharma, A., Jain, P., & Krishnappa, K. (2023). Incidence and determinants of low birth weight babies at rural tertiary care hospital in central uttar pradesh. *Indian Journal of Community Health*, 35(1), 83-88. <https://doi.org/10.47203/ijch.2023.v35i01.015>
- Neu, J., & Zhang, L. (2005). Feeding intolerance in very-low-birthweight infants: what is it and what can we do about it? *Acta paediatrica (Oslo, Norway : 1992)*. Supplement, 94 449, 93-9. DOI: 10.1080/08035320510043628
- Neupane, N., Bhandari, P., & Kaphle, H. (2019). Factors associated with teenage pregnancy: a case control study. *Journal of Health and Allied Sciences*, 9(1), 21-27. <https://doi.org/10.37107/jhas.5>
- Ngwira, A. (2019). Spatial quantile regression with application to high and low child birth weight in malawi. *BMC Public Health*, 19(1). <https://doi.org/10.1186/s12889-019-7949-9>
- Noguchi, M., Tagaya, A., Sakoda, A., Komatsuzawa, H., Fujiwara, N., & Sugai, M. (2016). Effectiveness of oral health education program on prevention of periodontal disease in japanese pregnant women. *Open Journal of Nursing*, 06(04), 282-293. <https://doi.org/10.4236/ojn.2016.64029>

- Norman, M. (2008). Low birth weight and the developing vascular tree: A systematic review. *Acta Paediatrica*, 97. <https://doi.org/10.1111/j.1651-2227.2008.00904.x>
- Običan, S., Finnell, R., Mills, J., & Shaw, G. (2010). Folic acid in early pregnancy: a public health success story. *The Faseb Journal*, 24(11), 4167-4174. <https://doi.org/10.1096/fj.10-165084>
- Ogbiye, A., Zewotir, T., & North, D. (2021). Decomposing the urban-rural inequalities in the utilisation of maternal health care services: evidence from 27 selected countries in sub-saharan africa. *Reproductive Health*, 18(1). <https://doi.org/10.1186/s12978-021-01268-8>
- Ogundipe, O., Hoyo, C., Østbye, T., Oneko, O., Manongi, R., Lie, R., ... & Daltveit, A. (2012). Factors associated with prenatal folic acid and iron supplementation among 21,889 pregnant women in northern tanzania: a cross-sectional hospital-based study. *BMC Public Health*, 12(1). <https://doi.org/10.1186/1471-2458-12-481>
- Okah, F., Cai, J., & Hoff, G. (2005). Term-Gestation Low Birth Weight and Health-Compromising Behaviors During Pregnancy. *Obstetrics & Gynecology*, 105, 543-550. DOI: 10.1097/01.AOG.0000148267.23099.b7
- Okui, T. and Nakashima, N. (2022). Analysis of association between low birth weight and socioeconomic deprivation level in japan: an ecological study using nationwide municipal data. *Maternal Health Neonatology and Perinatology*, 8(1). <https://doi.org/10.1186/s40748-022-00143-z>
- Olsson, K. and Channick, R. (2016). Pregnancy in pulmonary arterial hypertension. *European Respiratory Review*, 25(142), 431-437. <https://doi.org/10.1183/16000617.0079-2016>
- Ortiz-Mantilla, S., Choudhury, N., Leevers, H., & Benasich, A. (2008). Understanding language and cognitive deficits in very low birth weight children. *Developmental Psychobiology*, 50(2), 107-126. <https://doi.org/10.1002/dev.20278>

- Ortiz-Mantilla, S., Choudhury, N., Leevers, H., & Benasich, A. (2008). Understanding language and cognitive deficits in very low birth weight children. *Developmental Psychobiology*, 50(2), 107-126. <https://doi.org/10.1002/dev.20278>
- Ozueh, C. and Alegbeleye, J. (2022). Knowledge of folic acid supplementation among pregnant women at a tertiary hospital in southern nigeria. *Archives of Current Research International*, 34-44. <https://doi.org/10.9734/acri/2022/v22i130266>
- Pal, A., Manna, S., Das, B., & Dhara, P. (2020). The risk of low birth weight and associated factors in west bengal, india: a community based cross-sectional study. *Egyptian Pediatric Association Gazette*, 68(1). <https://doi.org/10.1186/s43054-020-00040-0>
- Paneth, N. (1995). The problem of low birth weight.. *The Future of children*, 5 1, 19-34 . <https://doi.org/10.2307/1602505>.
- Pappas, A., Zoidis, E., & Chadio, S. (2019). Maternal selenium and developmental programming. *Antioxidants*, 8(5), 145. <https://doi.org/10.3390/antiox8050145>
- Paranjpe, G., Sarwate, R., & Shetty, N. (2019). Risk factor and outcome of retinopathy of prematurity among premature babies admitted to tertiary care hospital: a retrospective observational study. *Journal of Current Medical Research and Opinion*, 02(11). <https://doi.org/10.15520/jcmro.v2i11.226>
- Paranjpe, G., Sarwate, R., & Shetty, N. (2019). Risk factor and outcome of retinopathy of prematurity among premature babies admitted to tertiary care hospital: a retrospective observational study. *Journal of Current Medical Research and Opinion*, 02(11). <https://doi.org/10.15520/jcmro.v2i11.226>
- Partridge, S., Balayla, J., Holcroft, C., & Abenaim, H. (2012). Inadequate prenatal care utilization and risks of infant mortality and poor birth outcome: a retrospective analysis of 28,729,765 u.s. deliveries over 8 years. *American Journal of*

- Perinatology, 29(10), 787-794. <https://doi.org/10.1055/s-0032-1316439>
- Patil, P. and Patil, S. (2019). Maternal nutrition and weight gain affecting outcome of pregnancy. International Journal of Medical and Biomedical Studies, 3(2). <https://doi.org/10.32553/ijmbs.v3i2.91>
- Patra, J., Bakker, R., Irving, H., Jaddoe, V., Malini, S., & Rehm, J. (2011). Dose-response relationship between alcohol consumption before and during pregnancy and the risks of low birthweight, preterm birth and small for gestational age (sga)—a systematic review and meta-analyses. *Bjog an International Journal of Obstetrics & Gynaecology*, 118(12), 1411-1421. <https://doi.org/10.1111/j.1471-0528.2011.03050.x>
- Pedro Martins Lima Neto, A. M. Paes, R. C. Lima, R. Batista, A. M. Santos, & V. F. Simões. (2022). Effects of low birth weight on lung function in children and adolescents: A review. *International Journal of Advanced Engineering Research and Science*. <https://doi.org/10.22161/ijaers.911.10>
- Phillippi, J. (2009). Women's perceptions of access to prenatal care in the united states: a literature review. *Journal of Midwifery & Women's Health*, 54(3), 219-225. <https://doi.org/10.1016/j.jmwh.2009.01.002>
- Phillips, D. (1998). Birth weight and the future development of diabetes. A review of the evidence. *Diabetes Care*, 21 Suppl 2, B150-5.
- Pike, I. (2004). Maternal stress and fetal responses: evolutionary perspectives on preterm delivery. *American Journal of Human Biology*, 17(1), 55-65. <https://doi.org/10.1002/ajhb.20093>
- Pinzon-Rondon, A., Gutiérrez-Pinzón, V., Madrinan-Navia, H., Amin, J., Aguilera-Otalvaro, P., & Hoyos-Martinez, A. (2015). Low birth weight and prenatal care in colombia: a cross-

- sectional study. BMC Pregnancy and Childbirth, 15(1).
<https://doi.org/10.1186/s12884-015-0541-0>
- Prabhu, N., Smith, N., Campbell, D., Craig, L., Seaton, A., Helms, P., ... & Turner, S. (2010). First trimester maternal tobacco smoking habits and fetal growth. Thorax, 65(3), 235-240.
<https://doi.org/10.1136/thx.2009.123232>
- Rachidi, S., Awada, S., Al-Hajje, A., Bawab, W., Zein, S., Saleh, N., ... & Salameh, P. (2013). Risky substance exposure during pregnancy: a pilot study from lebanese mothers. Drug Healthcare and Patient Safety, 123.
<https://doi.org/10.2147/dhps.s44525>
- Raha, B., Alam, J., & Bhuiyan, A. (2021). Risk factors and clinical profile of respiratory distress in newborn: a hospital based study in bangladesh army. Bangladesh Medical Journal, 48(3), 21-27. <https://doi.org/10.3329/bmj.v48i3.51793>
- Rahman, M., Saima, U., & Goni, M. (2015). Impact of maternal household decision-making autonomy on child nutritional status in bangladesh. Asia Pacific Journal of Public Health, 27(5), 509-520. <https://doi.org/10.1177/1010539514568710>
- Rajbanshi, S., Norhayati, M., & Hussain, N. (2020). High-risk pregnancies and their association with severe maternal morbidity in nepal: a prospective cohort study. Plos One, 15(12), e0244072.
<https://doi.org/10.1371/journal.pone.0244072>
- Ramakrishnan, U., Grant, F., Goldenberg, T., Zongrone, A., & Martorell, R. (2012). Effect of women's nutrition before and during early pregnancy on maternal and infant outcomes: a systematic review. Paediatric and perinatal epidemiology, 26(Suppl 1), 285-301. <https://doi.org/10.1111/j.1365-3016.2012.01281.x>
- Ramakrishnan, U., Young, M., & Martorell, R. (2017). Maternal nutrition and birth outcomes., 487-502.
https://doi.org/10.1007/978-3-319-43739-2_22

- Rao, S., Yajnik, C. S., Kanade, A., Fall, C. H., Margetts, B. M., Jackson, A. A., ... & Joshi, S. (2001). Intake of micronutrient-rich foods in rural Indian mothers is associated with the size of their babies at birth: Pune Maternal Nutrition Study. *The Journal of Nutrition*, 131(4), 1217-1224. Link
- Rauf, S., Mandokhel, S., Pirzada, H., Sher, R., Shakeel, M., & Farhatullah, .. (2022). Factors associated with maternal anemia and its relationship with a low birth weight of newborn. PJMHS, 16(11), 304-306. <https://doi.org/10.53350/pjmhs20221611304>
- Read, J., & Clemens, J. (1995). Low birthweight as a determinant of infectious disease mortality: a methodological evaluation. *Paediatric and perinatal epidemiology*, 9(3), 351-62. <https://doi.org/10.1111/J.1365-3016.1995.TB00152.X>
- Riccio, C., Sullivan, J., & Cohen, M. (2012). Low Birth Weight. , 307-333. <https://doi.org/10.1002/9781118269954.ch12>.
- Ridwan, E., Utomo, M., & Notopuro, H. (2020). The effect of cigarette smoke exposure in the fetal growth and fetal development of mice (*mus musculus*). *Juxta Jurnal Ilmiah Mahasiswa Kedokteran Universitas Airlangga*, 11(1), 13. <https://doi.org/10.20473/juxta.v11i12020.13-17>
- Ritz, B., Qiu, J., Lee, P., Lurmann, F., Penfold, B., Weiss, R., ... & Wilhelm, M. (2014). Prenatal air pollution exposure and ultrasound measures of fetal growth in los angeles, california. *Environmental Research*, 130, 7-13. <https://doi.org/10.1016/j.envres.2014.01.006>
- Rochow, N., Fusch, G., Mühlinghaus, A., Niesytto, C., Straube, S., Utzig, N., & Fusch, C. (2012). A nutritional program to improve outcome of very low birth weight infants. *Clinical nutrition*, 31 1, 124-31. DOI: 10.1016/j.clnu.2011.07.004
- Romero, R., Dey, S., & Fisher, S. (2014). Preterm labor: one syndrome, many causes. *Science*, 345(6198), 760-765. <https://doi.org/10.1126/science.1251816>

- Rowe, S., Karkhaneh, Z., MacDonald, I., Chambers, T., Amjad, S., Osornio-Vargas, A., ... & Ospina, M. (2020). Systematic review of the measurement properties of indices of prenatal care utilization. *BMC Pregnancy and Childbirth*, 20(1). <https://doi.org/10.1186/s12884-020-2822-5>
- S. Lykkedegn, G. Sørensen, S. Beck-Nielsen, & H. Christesen. (2015). The impact of vitamin D on fetal and neonatal lung maturation. A systematic review. *American journal of physiology. Lung cellular and molecular physiology*, 308 7, L587-602. <https://doi.org/10.1152/ajplung.00117.2014>
- Sabbaghchi, M., Jalali, R., & Mohammadi, M. (2020). A systematic review and meta-analysis on the prevalence of low birth weight infants in iran. *Journal of Pregnancy*, 2020, 1-7. <https://doi.org/10.1155/2020/3686471>
- Sabra, S., Malmqvist, E., Saborit, A., Gratacós, E., & Gómez-Roig, M. (2017). Heavy metals exposure levels and their correlation with different clinical forms of fetal growth restriction. *Plos One*, 12(10), e0185645. <https://doi.org/10.1371/journal.pone.0185645>
- Saini, D. (2019). Clinical profile of low birth weight neonates admitted in nicu: a hospital based study. *Journal of Medical Science and Clinical Research*, 7(1). <https://doi.org/10.18535/jmscr/v7i1.67>
- Saleemi, M., Anjum, M., & Rehman, M. (2019). The ubiquitous healthcare facility framework: a proposed system for managing rural antenatal care. *Ieee Access*, 7, 161264-161282. <https://doi.org/10.1109/access.2019.2951739>
- Salihu, H., Myers, J., & August, E. (2012). Pregnancy in the workplace. *Occupational Medicine*, 62(2), 88-97. <https://doi.org/10.1093/occmed/kqr198>
- Satterfield, N., Newton, E., & May, L. (2016). Article commentary: activity in pregnancy for patients with a history of preterm

- birth. Clinical Medicine Insights Women S Health, 9s1, CMWH.S34684. <https://doi.org/10.4137/cmwh.s34684>
- Saweri, O., Batura, N., Adawayah, R., Causer, L., Pomat, W., Vallely, A., ... & Wiseman, V. (2021). Economic evaluation of point-of-care testing and treatment for sexually transmitted and genital infections in pregnancy in low- and middle-income countries: a systematic review. Plos One, 16(6), e0253135. <https://doi.org/10.1371/journal.pone.0253135>
- Schieve, L., Handler, A., Hershow, R., Persky, V., & Davis, F. (1994). Urinary tract infection during pregnancy: its association with maternal morbidity and perinatal outcome.. American Journal of Public Health, 84(3), 405-410. <https://doi.org/10.2105/ajph.84.3.405>
- Schillaci, M., Waitzkin, H., Carson, E., & Romain, S. (2010). Prenatal care utilization for mothers from low-income areas of new mexico, 1989-1999. Plos One, 5(9), e12809. <https://doi.org/10.1371/journal.pone.0012809>
- Schummers, L., Hutcheon, J., Norman, W., Liauw, J., Bolatova, T., & Ahrens, K. (2020). Short interpregnancy interval and pregnancy outcomes: how important is the timing of confounding variable ascertainment?. Paediatric and Perinatal Epidemiology, 35(4), 428-437. <https://doi.org/10.1111/ppe.12716>
- Schwebke, J., Hobbs, M., Taylor, S., Seña, A., Catania, M., Weinbaum, B., ... & Gaydos, C. (2011). Molecular testing for trichomonas vaginalis in women: results from a prospective u.s. clinical trial. Journal of Clinical Microbiology, 49(12), 4106-4111. <https://doi.org/10.1128/jcm.01291-11>
- Shahani, K., Khidri, F., Riaz, H., Siddiqui, K., Rani, K., & Ali, F. (2021). Frequency of complications in neonates with low birth weight. Journal of Pharmaceutical Research International, 287-292. <https://doi.org/10.9734/jpri/2021/v33i45b32806>

- Shahani, K., Khidri, F., Riaz, H., Siddiqui, K., Rani, K., & Ali, F. (2021). Frequency of complications in neonates with low birth weight. *Journal of Pharmaceutical Research International*, 287-292. <https://doi.org/10.9734/jpri/2021/v33i45b32806>
- Shankaran, S., Das, A., Bauer, C., Bada, H., Lester, B., Wright, L., ... & Smeriglio, V. (2004). Association between patterns of maternal substance use and infant birth weight, length, and head circumference. *Pediatrics*, 114(2), e226-e234. <https://doi.org/10.1542/peds.114.2.e226>
- Sharma, S., Giri, S., Timalsina, U., Bhandari, S., Basyal, B., Wagle, K., ... & Shrestha, L. (2015). Low birth weight at term and its determinants in a tertiary hospital of nepal: a case-control study. *Plos One*, 10(4), e0123962. <https://doi.org/10.1371/journal.pone.0123962>
- Silva, R. and Bellotto, M. (2015). Nutritional requirements for maternal and newborn health. *Current Women S Health Reviews*, 11(1), 41-50. <https://doi.org/10.2174/157340481101150914201357>
- Singer, A., Windham, G., Croen, L., Daniels, J., Lee, B., Qian, Y., ... & Burstyn, I. (2016). Maternal exposure to occupational asthmagens during pregnancy and autism spectrum disorder in the study to explore early development. *Journal of Autism and Developmental Disorders*, 46(11), 3458-3468. <https://doi.org/10.1007/s10803-016-2882-6>
- Singh, T., Skelton, H., Baird, J., Padernia, A., Maheshwari, R., Shah, D., ... & Jani, P. (2022). Improvement in thermoregulation outcomes following the implementation of a thermoregulation bundle for preterm infants. *Journal of Paediatrics and Child Health*, 58(7), 1201-1208. <https://doi.org/10.1111/jpc.15949>
- Singh, V., Chauhan, S., Rai, R., Kumar, A., Singh, S., & Rai, G. (2013). Decreased pattern recognition receptor signaling, interferon-signature, and bactericidal/permeability-increasing protein gene expression in cord blood of term low birth weight

- human newborns. Plos One, 8(4), e62845. <https://doi.org/10.1371/journal.pone.0062845>
- Singh, V., Chauhan, S., Rai, R., Kumar, A., Singh, S., & Rai, G. (2013). Decreased pattern recognition receptor signaling, interferon-signature, and bactericidal/permeability-increasing protein gene expression in cord blood of term low birth weight human newborns. Plos One, 8(4), e62845. <https://doi.org/10.1371/journal.pone.0062845>
- Siza, J. (2008). Risk factors associated with low birth weight of neonates among pregnant women attending a referral hospital in northern tanzania. Tanzania Journal of Health Research, 10(1). <https://doi.org/10.4314/thrb.v10i1.14334>
- Siza, J. (2008). Risk factors associated with low birth weight of neonates among pregnant women attending a referral hospital in northern tanzania. Tanzania Journal of Health Research, 10(1). <https://doi.org/10.4314/thrb.v10i1.14334>
- Smith, G., Pell, J., & Dobbie, R. (2003). Interpregnancy interval and risk of preterm birth and neonatal death: retrospective cohort study. BMJ, 327(7410), 313-0. <https://doi.org/10.1136/bmj.327.7410.313>
- Smith, V., Devane, D., Begley, C., Clarke, M., & Higgins, S. (2009). A systematic review and quality assessment of systematic reviews of randomised trials of interventions for preventing and treating preterm birth. European Journal of Obstetrics, Gynecology, and Reproductive Biology, 142(1), 3-11. <https://doi.org/10.1016/j.ejogrb.2008.09.008>
- Snijder, C., Roeleveld, N., Velde, E., Steegers, E., Raat, H., Hofman, A., ... & Burdorf, A. (2012). Occupational exposure to chemicals and fetal growth: the generation r study. Human Reproduction, 27(3), 910-920. <https://doi.org/10.1093/humrep/der437>
- Souza, G., Lage, J., & Guimarães, E. (2019). Motor development analysis of three-year-old children born preterm through the

- motor development scale - case report. *Journal of Human Growth and Development*, 29(1), 22-27. <https://doi.org/10.7322/jhgd.140229>
- Stanley Mwita, M. Jande, Deogratias Katabalo, B. Kamala, & D. Dewey. (2021). Reducing neonatal mortality and respiratory distress syndrome associated with preterm birth: A scoping review on the impact of antenatal corticosteroids in low- and middle-income countries. *World Journal of Pediatrics*, 17, 131-140. <https://doi.org/10.1007/s12519-020-00398-6>
- Steer, P., Alam, M., Wadsworth, J., & Welch, A. (1995). Relation between maternal haemoglobin concentration and birth weight in different ethnic groups. *BMJ*, 310(6978), 489-491. <https://doi.org/10.1136/bmj.310.6978.489>
- Stillerman, K., Mattison, D., Giudice, L., & Woodruff, T. (2008). Environmental exposures and adverse pregnancy outcomes: a review of the science. *Reproductive Sciences*, 15(7), 631-650. <https://doi.org/10.1177/1933719108322436>
- Su, R., Zhu, W., Wei, Y., Wang, C., Feng, H., Li, L., ... & Yang, H. (2015). Maternal and neonatal outcomes in multiple pregnancy: a multicentre study in the Beijing population. *Chronic Diseases and Translational Medicine*, 1(4), 197-202. <https://doi.org/10.1016/j.cdtm.2015.08.004>
- Susser, M. and Za, S. (1976). Maternal nutrition and low birth-weight. *The Lancet*, 307(7952), 196. [https://doi.org/10.1016/s0140-6736\(76\)91302-7](https://doi.org/10.1016/s0140-6736(76)91302-7)
- Takahashi, Y., Kaji, T., Yoshida, A., Yonetani, N., Suzue, N., Katoh, S., ... & Iwasa, T. (2022). Ultrasonographic changes in quadriceps femoris thickness in women with normal pregnancy and women on bed rest for threatened preterm labor. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-22467-8>
- Tang, L., Lee, A., Binns, C., Yang, C., & Sun, X. (2017). Maternal lifestyle and nutritional status in relation to pregnancy and

infant health outcomes in western china: protocol for a prospective cohort study. *BMJ Open*, 7(6), e014874. <https://doi.org/10.1136/bmjopen-2016-014874>

Tarning, J., Rijken, M., McGready, R., Phyto, A., Hanpithakpong, W., Day, N., ... & Nosten, F. (2012). Population pharmacokinetics of dihydroartemisinin and piperaquine in pregnant and nonpregnant women with uncomplicated malaria. *Antimicrobial Agents and Chemotherapy*, 56(4), 1997-2007. <https://doi.org/10.1128/aac.05756-11>

Tarry-Adkins, J. and Ozanne, S. (2014). The impact of early nutrition on the ageing trajectory. *Proceedings of the Nutrition Society*, 73(2), 289-301. <https://doi.org/10.1017/s002966511300387x>

Taylor, G., Alexander, F., & D'Souza, S. (2006). Interactions between fetal hla-dq alleles and maternal smoking influence birthweight. *Paediatric and Perinatal Epidemiology*, 20(5), 438-448. <https://doi.org/10.1111/j.1365-3016.2006.00736.x>

Teklehaimanot, N. (2014). Prevalence and factors associated with low birth weight in axum and laelay maichew districts, north ethiopia: a comparative cross sectional study. *International Journal of Nutrition and Food Sciences*, 3(6), 560. <https://doi.org/10.11648/j.ijnfs.20140306.21>

Tengepare, F. (2023). Improving maternal and child nutrition services in community based health planning and services zones in the jirapa municipality of northern ghana- challenges and strategies: the perspective of community health officers.. <https://doi.org/10.21203/rs.3.rs-2973752/v1>

Terplan, M., Kennedy-Hendricks, A., & Chisolm, M. (2015). Article commentary: prenatal substance use: exploring assumptions of maternal unfitness. *Substance Abuse Research and Treatment*, 9s2, SART.S23328. <https://doi.org/10.4137/sart.s23328>

Tesfaye, M., Wu, J., Biedrzycki, R., Grantz, K., Joseph, P., & Tekola-Ayele, F. (2023). Prenatal social support in low-risk

- pregnancy shapes placental epigenome. *BMC Medicine*, 21(1). <https://doi.org/10.1186/s12916-022-02701-w>
- Teshome, A. and Yitayeh, A. (2016). Relationship between periodontal disease and preterm low birth weight: systematic review. *Pan African Medical Journal*, 24. <https://doi.org/10.11604/pamj.2016.24.215.8727>
- Thera, T., Mounkoro, N., Teguete, I., Kouma, A., Traoré, Z., Kante, I., ... & Diarra, E. (2017). Maternal and perinatal outcome of teenage deliveries in bamako's district. *International Journal of Reproduction Contraception Obstetrics and Gynecology*, 6(11), 4766. <https://doi.org/10.18203/2320-1770.ijrcog20174984>
- Thomas, C., Guillet, R., Queenan, R., Cooper, E., Kent, T., Pressman, E., ... & O'Brien, K. (2015). Vitamin d status is inversely associated with anemia and serum erythropoietin during pregnancy. *American Journal of Clinical Nutrition*, 102(5), 1088-1095. <https://doi.org/10.3945/ajcn.115.116756>
- Thompson, L. and Al-Hasan, Y. (2012). Impact of oxidative stress in fetal programming. *Journal of Pregnancy*, 2012, 1-8. <https://doi.org/10.1155/2012/582748>
- Tian, M., Reichetzeder, C., Li, J., & Hocher, B. (2019). Low birth weight, a risk factor for diseases in later life, is a surrogate of insulin resistance at birth. *Journal of Hypertension*. DOI: 10.1097/HJH.0000000000002156
- Tilahun, T. and Hailemariam, H. (2021). Risk factors for low birth weight in sidama zone government hospitals, southern ethiopia, a case-control study.. <https://doi.org/10.21203/rs.3.rs-288190/v1>
- Timmermans, S., Jaddoe, V., Hofman, A., Steegers-Theunissen, R., & Steegers, E. (2009). Periconception folic acid supplementation, fetal growth and the risks of low birth weight and preterm birth: the generation r study. *British*

Journal of Nutrition, 102(5), 777-785.
<https://doi.org/10.1017/s0007114509288994>

Torabi, F., Akbari, S., Amiri, S., Soleimani, F., & Majd, H. (2012). Correlation between high-risk pregnancy and developmental delay in children aged 4-60 months. *Libyan Journal of Medicine*, 7(1), 18811.
<https://doi.org/10.3402/ljm.v7i0.18811>

Tran, N., Nguyen, L., Berde, Y., Low, Y., Tey, S., & Huynh, D. (2019). Maternal nutritional adequacy and gestational weight gain and their associations with birth outcomes among vietnamese women. *BMC Pregnancy and Childbirth*, 19(1).
<https://doi.org/10.1186/s12884-019-2643-6>

Tunc, T., Cekmez, F., Yildirim, S., Bulut, O., Ince, Z., Saldırı, M., ... & Coban, A. (2014). Predictive value of soluble urokinase plasminogen activator receptor, soluble st2, and il-33 in bronchopulmonary dysplasia. *Pediatric Research*, 75(6), 788-792. <https://doi.org/10.1038/pr.2014.28>

Uwambaye, P., Munyanshongore, C., Rulisa, S., Shiau, H., Nuhu, A., & KERR, M. (2020). Impact of maternal periodontitis on preterm birth and low birth weight in babies: results of a scoping review.. <https://doi.org/10.21203/rs.3.rs-24252/v1>

Valentina, P., Bizzarri, B., Cardi, V., Pedicino, R., Natale, F., Stolfi, I., ... & Curtis, M. (2012). Early onset sepsis in very low birth weight newborn infants. *The Journal of Maternal-Fetal & Neonatal Medicine*, 25(sup3), 21-25.
<https://doi.org/10.3109/14767058.2012.712348>

Valero de Bernabé, J., Soriano, T., Albaladejo, R., Juarranz, M., Calle, M., Martínez, D., & Domínguez-Rojas, V. (2004). Risk factors for low birth weight: a review. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 116(1), 3-15. DOI: 10.1016/J.EJOGRB.2004.03.007

Valley, A., Pomat, W., Homer, C., Guy, R., Luchters, S., Mola, G., ... & Kaldor, J. (2019). Point-of-care testing and treatment of

- sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: study protocol for a cluster randomized crossover trial (the wantaim trial, papua new guinea). *Wellcome Open Research*, 4, 53. <https://doi.org/10.12688/wellcomeopenres.15173.2>
- Valsaladevi, A. and Sathyabhamma, A. (2017). A retrospective study of obstetric outcome in teenage pregnancy and older pregnancies. *Journal of Evidence Based Medicine and Healthcare*, 4(57), 3459-3464. <https://doi.org/10.18410/jebmh/2017/689>
- Vardavas, C., Chatzi, L., Patelarou, E., Plana, E., Sarri, K., Kafatos, A., ... & Kogevinas, M. (2009). Smoking and smoking cessation during early pregnancy and its effect on adverse pregnancy outcomes and fetal growth. *European Journal of Pediatrics*, 169(6), 741-748. <https://doi.org/10.1007/s00431-009-1107-9>
- Velde, W. and Treffers, P. (1985). Smoking in pregnancy: the influence on percentile birth weight, mean birth weight, placental weight, menstrual age, perinatal mortality and maternal diastolic blood pressure. *Gynecologic and Obstetric Investigation*, 19(2), 57-63. <https://doi.org/10.1159/000299009>
- Verma, J., Anand, S., Kapoor, N., Gedam, S., & Patel, U. (2018). Neonatal outcome in new-borns admitted in nicu of tertiary care hospital in central india: a 5-year study. *International Journal of Contemporary Pediatrics*, 5(4), 1364. <https://doi.org/10.18203/2349-3291.ijcp20182512>
- Vesterinen, H., Morello-Frosch, R., Sen, Š., Zeise, L., & Woodruff, T. (2017). Cumulative effects of prenatal-exposure to exogenous chemicals and psychosocial stress on fetal growth: Systematic-review of the human and animal evidence. *PLoS ONE*, 12. DOI: 10.1371/journal.pone.0176331
- Villar, J., Gulmezoglu, A. M., & de Onis, M. (1998). Nutritional and antimicrobial interventions to prevent preterm birth: an

overview of randomized controlled trials. *Obstetrical & Gynecological Survey*, 53(9), 575-585. DOI: 10.1097/00006254-199809000-00025

Vohr, B., Stephens, B., Higgins, R., Bann, C., Hintz, S., Das, A., ... & Fuller, J. (2012). Are outcomes of extremely preterm infants improving? impact of bayley assessment on outcomes. *The Journal of Pediatrics*, 161(2), 222-228.e3. <https://doi.org/10.1016/j.jpeds.2012.01.057>

Voigt, M., Briese, V., Jorch, G., Henrich, W., Schneider, K., & Straube, S. (2009). The influence of smoking during pregnancy on fetal growth. *Zeitschrift Für Geburtshilfe Und Neonatologie*, 213(05), 194-200. <https://doi.org/10.1055/s-0029-1214405>

Wang, W., Yan, H., Zeng, L., Cheng, Y., Wang, D., & Li, Q. (2011). No effect of maternal micronutrient supplementation on early childhood growth in rural western china: 30 month follow-up evaluation of a double blind, cluster randomized controlled trial. *European Journal of Clinical Nutrition*, 66(2), 261-268. <https://doi.org/10.1038/ejcn.2011.190>

Wang, Y., Zhu, W., & Luo, B. (2019). Continuous feeding versus intermittent bolus feeding for premature infants with low birth weight: a meta-analysis of randomized controlled trials. *European Journal of Clinical Nutrition*, 74(5), 775-783. <https://doi.org/10.1038/s41430-019-0522-x>

Wehby, G., Murray, J., Castilla, E., López-Camelo, J., & Ohsfeldt, R. (2009). Quantile effects of prenatal care utilization on birth weight in argentina. *Health Economics*, 18(11), 1307-1321. <https://doi.org/10.1002/hec.1431>

Weldegebriel, S., Beyene, S., Tela, F., Gufue, Z., & Hailu, H. (2023). Maternal dietary pattern and its association with birthweight in northern ethiopia: a hospital-based cross-sectional study. *Food Science & Nutrition*, 11(7), 3820-3832. <https://doi.org/10.1002/fsn3.3368>

- Wendt, A., Gibbs, C. M., Peters, S., & Hogue, C. J. (2012). Impact of increasing inter-pregnancy interval on maternal and infant health. *Paediatric and perinatal epidemiology*, 26 Suppl 1, 239-58. <https://doi.org/10.1111/j.1365-3016.2012.01285.x>
- Werter, D., Kazemier, B., Schneeberger, C., Mol, B., Groot, C., Geerlings, S., ... & Pajkrt, E. (2021). Risk indicators for urinary tract infections in low risk pregnancy and the subsequent risk of preterm birth. *Antibiotics*, 10(9), 1055. <https://doi.org/10.3390/antibiotics10091055>
- Windham, G., Eaton, A., & Hopkins, B. (1999). Evidence for an association between environmental tobacco smoke exposure and birthweight: a meta-analysis and new data. *Paediatric and Perinatal Epidemiology*, 13(1), 35-57. <https://doi.org/10.1046/j.1365-3016.1999.00150.x>
- Wolff, M., Johansen, M., Ersbøll, A., Rosthøj, S., Brunsgaard, A., Midtgård, J., ... & Hegaard, H. (2019). Efficacy of a midwife-coordinated, individualized, and specialized maternity care intervention (chropreg) in addition to standard care in pregnant women with chronic disease: protocol for a parallel randomized controlled trial. *Trials*, 20(1). <https://doi.org/10.1186/s13063-019-3405-5>
- Wu, G., Imhoff-Kunsch, B., & Girard, A. W. (2012). Biological mechanisms for nutritional regulation of maternal health and fetal development. *Paediatric and Perinatal Epidemiology*, 26(Suppl 1), 4-26. Link
- Wulandari, F., Mahmudiono, T., Rifqi, M., Helmyati, S., Dewi, M., & Yuniar, C. (2022). Maternal characteristics and socio-economic factors as determinants of low birth weight in indonesia: analysis of 2017 indonesian demographic and health survey (idhs). *International Journal of Environmental Research and Public Health*, 19(21), 13892. <https://doi.org/10.3390/ijerph192113892>
- Xu, Y., Romero, R., Miller, D., Kadam, L., Mial, T., Plazyo, O., ... & Gomez-Lopez, N. (2016). An m1-like macrophage

polarization in decidual tissue during spontaneous preterm labor that is attenuated by rosiglitazone treatment. *The Journal of Immunology*, 196(6), 2476-2491.
<https://doi.org/10.4049/jimmunol.1502055>

Yekta, Z., Ayatollahi, H., Porali, R., & Farzin, A. (2006). The effect of pre-pregnancy body mass index and gestational weight gain on pregnancy outcomes in urban care settings in urmia-iran. *BMC Pregnancy and Childbirth*, 6(1).
<https://doi.org/10.1186/1471-2393-6-15>

Yeoh, P., Hornetz, K., & Dahlui, M. (2016). Antenatal care utilisation and content between low-risk and high-risk pregnant women. *Plos One*, 11(3), e0152167.
<https://doi.org/10.1371/journal.pone.0152167>

Yilgwan, C., Utoo, T., & Hyacinth, H. (2012). Maternal characteristics influencing birth weight and infant weight gain in the first 6 weeks post-partum: a cross-sectional study of a post-natal clinic population. *Nigerian Medical Journal*, 53(4), 200. <https://doi.org/10.4103/0300-1652.107553>

York, R., Tulman, L., & Brown, K. (2000). Postnatal care in low-income urban african american women: relationship to level of prenatal care sought. *Journal of Perinatology*, 20(1), 34-40.
<https://doi.org/10.1038/sj.jp.7200302>

Yu, V., Jamieson, J., & Bajuk, B. (1981). Breast milk feeding in very low birthweight infants. *Journal of Paediatrics and Child Health*, 17. DOI: 10.1111/j.1440-1754.1981.tb01936.x

Yu, Z., Han, S., Zhu, J., Sun, X., Ji, C., & Guo, X. (2013). Pre-pregnancy body mass index in relation to infant birth weight and offspring overweight/obesity: a systematic review and meta-analysis. *Plos One*, 8(4), e61627.
<https://doi.org/10.1371/journal.pone.0061627>

Zahiruddin, S., Chetandas, P., Ahmed, S., & Baloch, R. (2017). Obstetrical and perinatal outcomes of teenage pregnant women attending a secondary hospital in hyderabad. Open

Journal of Obstetrics and Gynecology, 07(05), 503-510.
<https://doi.org/10.4236/ojog.2017.75052>

Zarén, B., Lindmark, G., & Bergsjø, P. (1997). Hemoconcentration in smoking mothers is associated with impaired fetal growth. *Acta Obstetricia Et Gynecologica Scandinavica*, 76(10), 933-941. <https://doi.org/10.3109/00016349709034905>

Zerfu, T. and Ayele, H. (2013). Micronutrients and pregnancy; effect of supplementation on pregnancy and pregnancy outcomes: a systematic review. *Nutrition Journal*, 12(1).
<https://doi.org/10.1186/1475-2891-12-20>

BIOGRAPHY

Ns. Arif Rohman Mansur, S.Kep., M.Kep



The author was born in Jepara on August 28, 1987, and is the youngest of five siblings. He earned his Bachelor's degree (S.Kep.) and completed his professional nursing education (Ns) from the Nursing Science Program (PSIK) at the Faculty of Medicine, Gadjah Mada University (UGM) in 2009 and 2010, respectively. Since April 1, 2019, he has been working as a lecturer in the Pediatrics and Maternity Department at the Faculty of Nursing, Andalas University, where he remains to the present. In addition to his lecturing duties, he actively writes books, contributes articles to mass media and journals, manages the Pengabmas journal (Andalas Service News), leads the GKM for the Undergraduate Nursing Program, and serves as a member of the Unand Book Task Force. One of the author's mottos is "Dare to Try and Keep Learning." He has written several books or learning modules and published various research findings in national and international journals. The author is married and blessed with three sons.

Ns. Ira Mulya Sari, M.Kep. Sp. Kep. An



Ira Mulya Sari born in Padang on April 13, 1984, is a permanent faculty member in the Maternity and Child Department at the Faculty of Nursing, Andalas University. Prior to this position, she taught at STIKes Indonesia Padang and Akper Nabila Padang Panjang. Known affectionately as Ai, she is married and blessed with four children: Zahid, Shadiq, Shanum, and Ali. She completed her specialized education in pediatric nursing at the University of Indonesia in 2016.